This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of
the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS

- TEXT CUT OFF AT TOP, BOTTOM OR SIDES

- FADED TEXT

- ILLEGIBLE TEXT

- SKEWED/SLANTED IMAGES

- COLORED PHOTOS

- BLACK OR VERY BLACK AND WHITE DARK PHOTOS

- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

PCT

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : A61K 31/54	**A1**	**(11) International Publication Number:** WO 97/15308
		(43) International Publication Date: 1 May 1997 (01.05.97)

(21) International Application Number: PCT/US96/17019

(22) International Filing Date: 23 October 1996 (23.10.96)

(30) Priority Data:
60/005,830   23 October 1995 (23.10.95)   US

(71) Applicants: ZYMOGENETICS, INC. [US/US]; 1201 Eastlake Avenue East, Seattle, WA 98102 (US). OSTEOSCREEN, INC. [US/US]; Suite 201, 2040 Babcock Road, San Antonio, TX 78229 (US). UNIVERSITY OF TEXAS AT AUSTIN [US/US]; Austin, TX (US).

(72) Inventors: PETRIE, Charles; 18459 N.E. 196th Place, Woodinville, WA 98072 (US). ORME, Mark, W.; 636 N.W. 98th Street, Seattle, WA 98117 (US). BAINDUR, Nand; 13919 57th Place West, Edmonds, WA 98026 (US). ROBBINS, Kirk, G.; 1200 Grant Avenue South #Y-304, Renton, WA 98055 (US). HARRIS, Scott, M.; 6825 31st Avenue N.E., Seattle, WA 98815 (US). KONTOYIANNI, Maria; 769 Hayes Street #504, Seattle, WA 98109 (US). HURLEY, Laurence, H.; 5915 Northwest Place, Austin, TX 78731 (US). KERWIN, Sean, M.; 703 Ivy Court, Round Rock, TX 78681 (US). MUNDY, Gregory, R.; 3719 Morgan's Creek, San Antonio, TX 78230 (US).

(74) Agents: MURASHIGE, Kate, H. et al.; Morrison & Foerster L.L.P., 2000 Pennsylvania Avenue, N.W., Washington, DC 20006-1888 (US).

(81) Designated States: AL, AM, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, FI, GE, HU, IL, IS, JP, KG, KP, KR, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, TR, TT, UA, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: COMPOSITIONS AND METHODS FOR TREATING BONE DEFICIT CONDITIONS

(57) Abstract

Compounds containing two aromatic systems covalently linked through a linker containing one or more atoms, or "linker" defined as including a covalent bond *per se* so as to space the aromatic systems at a distance 1.5-15Å, are effective in treating conditions associated with bone deficits. The compounds can be administered to vertebrate subjects alone or in combination with additional agents that promote bone growth or that inhibit bone resorption. They can be screened for activity prior to administration by assessing their ability to effect the transcription of a reporter gene coupled to a promoter associated with a bone morphogenetic protein and/or their ability to stimulate calvarial growth in model animal systems.

COMPOSITIONS AND METHODS FOR TREATING BONE DEFICIT CONDITIONS

Technical Field

5   The invention relates to compositions and methods for use in limiting undesired bone loss in a vertebrate at risk of such bone loss, in treating conditions that are characterized by undesired bone loss or by the need for bone growth, in treating fractures, and in treating cartilage disorders. More specifically, the invention concerns the use of specific classes of compounds identified or characterized by a high throughput screening 10   assay.

Background Art

Bone is not a static tissue. It is subject to constant breakdown and resynthesis in a complex process mediated by osteoblasts, which produce new bone, and osteoclasts, which 15   destroy bone. The activities of these cells are regulated by a large number of cytokines and growth factors, many of which have now been identified and cloned. Mundy has described the current knowledge related to these factors (Mundy, G.R. *Clin Orthop* 324:24-28, 1996; Mundy, G.R. *J Bone Miner Res* 8:S505-10, 1993).

Although there is a great deal of information available on the factors which 20   influence the breakdown and resorption of bone, information on growth factors which stimulate the formation of new bone is more limited. Investigators have searched for sources of such activities, and have found that bone tissue itself is a storehouse for factors which have the capacity for stimulating bone cells. Thus, extracts of bovine bone tissue obtained from slaughterhouses contain not only structural proteins which are responsible 25   for maintaining the structural integrity of bone, but also biologically active bone growth factors which can stimulate bone cells to proliferate. Among these latter factors are transforming growth factor ß, the heparin-binding growth factors (acidic and basic fibroblast growth factor), the insulin-like growth factors (insulin-like growth factor I and insulin-like growth factor II), and a recently described family of proteins called bone 30   morphogenetic proteins (BMPs). All of these growth factors have effects on other types of cells, as well as on bone cells.

The BMPs are novel factors in the extended transforming growth factor β superfamily. They were first identified by Wozney J. *et al. Science* (1988) 242:1528-34, using gene cloning techniques, following earlier descriptions characterizing the biological activity in extracts of demineralized bone (Urist M. *Science* (1965) 150:893-99).

5   Recombinant BMP2 and BMP4 can induce new bone formation when they are injected locally into the subcutaneous tissues of rats (Wozney J. *Molec Reprod Dev* (1992) 32:160-67). These factors are expressed by normal osteoblasts as they differentiate, and have been shown to stimulate osteoblast differentiation and bone nodule formation *in vitro* as well as bone formation *in vivo* (Harris S. *et al. J. Bone Miner Res* (1994) 9:855-63). This latter

10   property suggests potential usefulness as therapeutic agents in diseases which result in bone loss.

The cells which are responsible for forming bone are osteoblasts. As osteoblasts differentiate from precursors to mature bone-forming cells, they express and secrete a number of enzymes and structural proteins of the bone matrix, including Type-1 collagen,

15   osteocalcin, osteopontin and alkaline phosphatase (Stein G. *et al. Curr Opin Cell Biol* (1990) 2:1018-27; Harris S. *et al.* (1994), *supra*). They also synthesize a number of growth regulatory peptides which are stored in the bone matrix, and are presumably responsible for normal bone formation. These growth regulatory peptides include the BMPs (Harris S. *et al.* (1994), *supra*). In studies of primary cultures of fetal rat calvarial

20   osteoblasts, BMPs 1, 2, 3, 4, and 6 are expressed by cultured cells prior to the formation of mineralized bone nodules (Harris S. *et al.* (1994), *supra*). Like alkaline phosphatase, osteocalcin and osteopontin, the BMPs are expressed by cultured osteoblasts as they proliferate and differentiate.

Although the BMPs are potent stimulators of bone formation *in vitro* and *in vivo*,

25   there are disadvantages to their use as therapeutic agents to enhance bone healing. Receptors for the bone morphogenetic proteins have been identified in many tissues, and the BMPs themselves are expressed in a large variety of tissues in specific temporal and spatial patterns. This suggests that BMPs may have effects on many tissues other than bone, potentially limiting their usefulness as therapeutic agents when administered

30   systemically. Moreover, since they are peptides, they would have to be administered by injection. These disadvantages impose severe limitations to the development of BMPs as therapeutic agents.

There is a plethora of conditions which are characterized by the need to enhance bone formation. Perhaps the most obvious is the case of bone fractures, where it would be desirable to stimulate bone growth and to hasten and complete bone repair. Agents that enhance bone formation would also be useful in facial reconstruction procedures. Other

5   bone deficit conditions include bone segmental defects, periodontal disease, metastatic bone disease, osteolytic bone disease and conditions where connective tissue repair would be beneficial, such as healing or regeneration of cartilage defects or injury. Also of great significance is the chronic condition of osteoporosis, including age-related osteoporosis and osteoporosis associated with post-menopausal hormone status. Other conditions

10   characterized by the need for bone growth include primary and secondary hyperparathyroidism, disuse osteoporosis, diabetes-related osteoporosis, and glucocorticoid-related osteoporosis. In addition, or alternatively, the compounds of the present invention may modulate metabolism, proliferation and/or differentiation of normal or aberrant cells or tissues.

15   There are currently no satisfactory pharmaceutical approaches to managing any of these conditions. Bone fractures are still treated exclusively using casts, braces, anchoring devices and other strictly mechanical means. Further bone deterioration associated with post-menopausal osteoporosis has been decreased or prevented with estrogens or bisphosphonates.

20   US Patent 5, 280, 040 discloses a class of compounds which are 3, 4-diaryl chromans. These compounds can be considered derivatives of 2,3,4 triphenyl butanol, where the hydroxy at the 1-position forms an ether with the ortho position of the phenyl group substituted at the 4-position of the butanol. The parent 3,4-diaryl chromans do not contain nitrogen atoms in the aromatic moieties or their linkers. A preferred compound,

25   centchroman, contains a nitrogen substituent only in one of the substituents on a phenyl moiety. These compounds are disclosed in the '040 patent as useful in the treatment of osteoporosis.

There is a plethora of conditions which are characterized by the need to enhance bone formation.

The present invention discloses compounds useful for limiting or treating bone deficit conditions, and for other uses that should be apparent to those skilled in the art from

30   the teachings herein.

Disclosure of the Invention

The invention provides compounds that can be administered as ordinary pharmaceuticals and have the metabolic effect of enhancing bone growth. The compounds of the invention can be identified using an assay for their ability to activate control elements associated with these factors. Thus, the invention is directed to methods and compositions for stimulating the growth of skeletal (bone) tissue, which methods and compositions use, as active ingredients, compounds wherein two aromatic systems are coupled so as to be spaced apart from each other by about 1.5 to about 15 Angstroms. The thus-linked systems (including the linker coupling them) may include at least one nitrogen atom other than a ring substituent.

Therefore, the compounds useful in the invention can be described as having the formula Ar^1-linker-Ar^2, wherein each of Ar^1 and Ar^2 is independently an aromatic system and the linker portion of the formula spaces Ar^1 and Ar^2 apart by a distance of approximately 1.5-15 Angstroms. Ar^1, Ar^2 and the linker may optionally be substituted with non interfering substituents. In the useful compounds, there may be at least one nitrogen atom in either Ar^1, Ar^2 and/or the linker, independent of any substituents thereon. Preferably, the compounds of the invention also contain at least one additional heteroatom selected from the group consisting of N, S and O, independent of any substituent.

Other compounds of the invention include particular five membered rings having charge separation.

Thus, the invention is directed to methods to treat bone disorders using the compounds described and to pharmaceutical compositions for this use.

Brief Description of the Drawings

Figure 1 shows the dose response curve for the compound, designated 59-0008.

Figures 2 and 3 show illustrative compounds of the invention and the results obtained with them in an *in vitro* test.

Modes of Carrying Out the Invention

A rapid throughput screening test for compounds capable of stimulating expression of a reporter gene linked to a BMP promoter (a surrogate for the production of bone morphogenetic factors that are endogenously produced) is described in U.S. Application

Serial No. 08/458,434, filed 2 June 1995, the entire contents of which are incorporated herein by reference. This assay is also described as a portion of a study of immortalized murine osteoblasts (derived from a mouse expressing a transgene composed of a BMP2 promoter driving expression of T-antigen) in Ghosh-Choudhery, N. *et al. Endocrinology*

5   (1996) 137:331-39. In this study, the immortalized cells were stably transfected with a plasmid containing a luciferase reporter gene driven by a mouse BMP2 promoter (-2736/114 bp), and responded in a dose-dependent manner to recombinant human BMP2.

Briefly, the assay utilizes cells transformed permanently or transiently with constructs in which the promoter of a bone morphogenetic protein, specifically BMP2 or

10   BMP4, is coupled to a reporter gene, typically luciferase. These transformed cells are then evaluated for the production of the reporter gene product; compounds that activate the BMP promoter will drive production of the reporter protein, which can be readily assayed. Over 40,000 compounds have been subjected to this rapid screening technique, and only a very small percentage are able to elicit a level of production of luciferase 5-fold greater

15   than that produced by vehicle. Compounds that activate the BMP promoter share certain structural characteristics not present in inactive compounds. The active compounds ("BMP promoter-active compounds" or "active compounds") are useful in promoting bone or cartilage growth, and thus in the treatment of vertebrates in need of bone or cartilage growth.

20   BMP promoter-active compounds can be examined in a variety of other assays that test specificity and toxicity. For instance, non-BMP promoters or response elements can be linked to a reporter gene and inserted into an appropriate host cell. Cytotoxicity can be determined by visual or microscopic examination of BMP promoter- and/or non-BMP promoter-reporter gene-containing cells, for instance. Alternatively, nucleic acid and/or

25   protein synthesis by the cells can be monitored. For *in vivo* assays, tissues may be removed and examined visually or microscopically, and optionally examined in conjunction with dyes or stains that facilitate histologic examination. In assessing *in vivo* assay results, it may also be useful to examine biodistribution of the test compound, using conventional medicinal chemistry/animal model techniques.

30   As used herein, "limit" or "limiting" and "treat" or "treatment" are interchangeable terms. The terms include a postponement of development of bone deficit symptoms and/or a reduction in the severity of such symptoms that will or are expected to develop. The

terms further include ameliorating existing bone or cartilage deficit symptoms, preventing additional symptoms, ameliorating or preventing the underlying metabolic causes of symptoms, preventing or reversing bone resorption and/or encouraging bone growth. Thus, the terms denote that a beneficial result has been conferred on a vertebrate subject

5   with a cartilage, bone or skeletal deficit, or with the potential to develop such deficit.

By "bone deficit" is meant an imbalance in the ratio of bone formation to bone resorption, such that, if unmodified, the subject will exhibit less bone than desirable, or the subject's bones will be less intact and coherent than desired. Bone deficit may also result from fracture, from surgical intervention or from dental or periodontal disease. By

10   "cartilage defect" is meant damaged cartilage, less cartilage than desired, or cartilage that is less intact and coherent than desired.

Representative uses of the compounds of the present invention include: repair of bone defects and deficiencies, such as those occuring in closed, open and non-union fractures; prophylactic use in closed and open fracture reduction; promotion of bone

15   healing in plastic surgery; stimulation of bone ingrowth into non-cemented prosthetic joints and dental implants; elevation of peak bone mass in pre-menopausal women; treatment of growth deficiencies; treatment of peridontal disease and defects, and other tooth repair processes; increase in bone formation during distraction osteogenesis; and treatment of other skeletal disorders, such as age-related osteoporosis, post-menopausal osteoporosis,

20   glucocorticoid-induced osteoporosis or disuse osteoporosis and arthritis. The compounds of the present invention can also be useful in repair of congenital, trauma-induced or surgical resection of bone (for instance, for cancer treatment), and in cosmetic surgery. Further, the compounds of the present invention can be used for limiting or treating cartilage defects or disorders, and may be useful in wound healing or tissue repair.

25   Bone or cartilage deficit or defect can be treated in vertebrate subjects by administering compounds of the invention which exhibit certain structural and functional characteristics. The compositions of the invention may be administered systemically or locally. For systemic use, the compounds herein are formulated for parenteral (e.g., intravenous, subcutaneous, intramuscular, intraperitoneal, intranasal or transdermal) or

30   enteral (e.g., oral or rectal) delivery according to conventional methods. Intravenous administration can be by a series of injections or by continuous infusion over an extended period. Administration by injection or other routes of discretely spaced administration can

be performed at intervals ranging from weekly to once to three times daily. Alternatively, the compounds disclosed herein may be administered in a cyclical manner (administration of disclosed compound; followed by no administration; followed by administration of disclosed compound, and the like). Treatment will continue until the desired outcome is

5   achieved. In general, pharmaceutical formulations will include a compound of the present invention in combination with a pharmaceutically acceptable vehicle, such as saline, buffered saline, 5% dextrose in water, borate-buffered saline containing trace metals or the like. Formulations may further include one or more excipients, preservatives, solubilizers, buffering agents, albumin to prevent protein loss on vial surfaces, lubricants, fillers,

10   stabilizers, etc. Methods of formulation are well known in the art and are disclosed, for example, in Remington's Pharmaceutical Sciences, Gennaro, ed., Mack Publishing Co., Easton PA, 1990, which is incorporated herein by reference. Pharmaceutical compositions for use within the present invention can be in the form of sterile, non-pyrogenic liquid solutions or suspensions, coated capsules, suppositories, lyophilized powders, transdermal

15   patches or other forms known in the art. Local administration may be by injection at the site of injury or defect, or by insertion or attachment of a solid carrier at the site, or by direct, topical application of a viscous liquid, or the like. For local administration, the delivery vehicle preferably provides a matrix for the growing bone or cartilage, and more preferably is a vehicle that can be absorbed by the subject without adverse effects.

20   Delivery of compounds herein to wound sites may be enhanced by the use of controlled-release compositions, such as those described in pending U.S. Patent Application No. 07/871,246 (corresponding to WIPO publication WO 93/20859, which is incorporated herein by reference in its entirety). Films of this type are particularly useful as coatings for prosthetic devices and surgical implants. The films may, for example, be

25   wrapped around the outer surfaces of surgical screws, rods, pins, plates and the like. Implantable devices of this type are routinely used in orthopedic surgery. The films can also be used to coat bone filling materials, such as hydroxyapatite blocks, demineralized bone matrix plugs, collagen matrices and the like. In general, a film or device as described herein is applied to the bone at the fracture site. Application is generally by implantation

30   into the bone or attachment to the surface using standard surgical procedures.

In addition to the copolymers and carriers noted above, the biodegradable films and matrices may include other active or inert components. Of particular interest are those

agents that promote tissue growth or infiltration, such as growth factors. Exemplary growth factors for this purpose include epidermal growth factor (EGF), fibroblast growth factor (FGF), platelet-derived growth factor (PDGF), transforming growth factors (TGFs), parathyroid hormone (PTH), leukemia inhibitory factor (LIF), and insulin-like growth

5   factors (IGFs) and the like. Agents that promote bone growth, such as bone morphogenetic proteins (U.S. Patent No. 4,761,471; PCT Publication WO 90/11366), osteogenin (Sampath et al. Proc. Natl. Acad. Sci. USA (1987) 84:7109-13) and NaF (Tencer et al. J. Biomed. Mat. Res. (1989) 23: 571-89) are also preferred. Biodegradable films or matrices include calcium sulfate, tricalcium phosphate, hydroxyapatite, polylactic

10   acid, polyanhydrides, bone or dermal collagen, pure proteins, extracellular matrix components and the like and combinations thereof. Such biodegradable materials may be used in combination with non-biodegradable materials, to provide desired mechanical, cosmetic or tissue or matrix interface properties.

       Alternative methods for delivery of compounds of the present invention include use

15   of ALZET osmotic minipumps (Alza Corp., Palo Alto, CA); sustained release matrix materials such as those disclosed in Wang et al. (PCT Publication WO 90/11366); electrically charged dextran beads, as disclosed in Bao et al. (PCT Publication WO 92/03125); collagen-based delivery systems, for example, as disclosed in Ksander et al. Ann. Surg. (1990) 211(3):288-94; methylcellulose gel systems, as disclosed in Beck et al.

20   J. Bone Min. Res. (1991) 6(11):1257-65; and alginate-based systems, as disclosed in Edelman et al. Biomaterials (1991) 12:619-26 and the like. Other methods well known in the art for sustained local delivery in bone include porous coated metal protheses that can be impregnated and solid plastic rods with therapeutic compositions incorporated within them.

25   The compounds of the present invention may also be used in conjunction with agents that inhibit bone resorption. Antiresorptive agents, such as estrogen, bisphosphonates and calcitonin, are preferred for this purpose. More specifically, the compounds disclosed herein may be administered for a period of time (for instance, months to years) sufficient to obtain correction of a bone deficit condition. Once the bone deficit

30   condition has been corrected, the vertebrate can be administered an anti-resorptive compound to maintain the corrected bone condition. Alternatively, the compounds disclosed herein may be adminstered with an anti-resorptive compound in a cyclical manner

(administration of disclosed compound, followed by anti-resorptive, followed by disclosed compound, and the like).

In additional formulations, conventional preparations such as those described below may be used.

5   Aqueous suspensions may contain the active ingredient in admixture with pharmacologically acceptable excipients, comprising suspending agents, such as methyl cellulose; and wetting agents, such as lecithin, lysolecithin or long-chain fatty alcohols. The said aqueous suspensions may also contain preservatives, coloring agents, flavoring agents and sweetening agents in accordance with industry standards.

10   Preparations for topical and local application comprise aerosol sprays, lotions, gels and ointments in pharmaceutically appropriate vehicles which may comprise lower aliphatic alcohols, polyglycols such as glycerol, polyethylene glycol, esters of fatty acids, oils and fats, and silicones. The preparations may further comprise antioxidants, such as ascorbic acid or tocopherol, and preservatives, such as p-hydroxybenzoic acid esters.

15   Parenteral preparations comprise particularly sterile or sterilized products. Injectable compositions may be provided containing the active compound and any of the well known injectable carriers. These may contain salts for regulating the osmotic pressure.

If desired, the osteogenic agents can be incorporated into liposomes by any of the reported methods of preparing liposomes for use in treating various pathogenic conditions.

20   The present compositions may utilize the compounds noted above incorporated in liposomes in order to direct these compounds to macrophages, monocytes, other cells and tissues and organs which take up the liposomal composition. The liposome-incorporated compounds of the invention can be utilized by parenteral administration, to allow for the efficacious use of lower doses of the compounds. Ligands may also be incorporated to

25   further focus the specificity of the liposomes.

Suitable conventional methods of liposome preparation include, but are not limited to, those disclosed by Bangham, A.D. *et al. J Mol Biol* (1965) 23:238-252, Olson, F. *et al. Biochim Biophys Acta* (1979) 557:9-23, Szoka, F. *et al. Proc Natl Acad Sci USA* (1978) 75:4194-4198, Mayhew, E. *et al.* _____ (1984) 775:169175, Kim, S. *et al. Biochim*

30   *Biophys Acta* (1983) 728:339:348, and Mayer, *et al. Biochim Biophys Acta* (1986) 858:161-168.

The liposomes may be made from the present compounds in combination with any of the conventional synthetic or natural phospholipid liposome materials including phospholipids from natural sources such as egg, plant or animal sources such as phosphatidylcholine, phosphatidylethanolamine, phosphatidylglycerol, sphingomyelin, phosphatidylserine, or phosphatidylinositol. Synthetic phospholipids that may also be used, include, but are not limited to: dimyristoylphosphatidylcholine, dioleoylphosphatidylcholine, dipalmitoylphosphatidylcholine and distearoylphosphatidycholine, and the corresponding synthetic phosphatidylethanolamines and phosphatidylglycerols. Cholesterol or other sterols, cholesterol hemisuccinate, glycolipids, cerebrosides, fatty acids, gangliosides, sphingolipids, 1,2-bis(oleoyloxy)-3-(trimethyl ammonio) propane (DOTAP), N-[1-(2,3-dioleoyl) propyl-N,N,N-trimethylammonium chloride (DOTMA), and other cationic lipids may be incorporated into the liposomes, as is known to those skilled in the art. The relative amounts of phospholipid and additives used in the liposomes may be varied if desired. The preferred ranges are from about 60 to 90 mole percent of the phospholipid; cholesterol, cholesterol hemisuccinate, fatty acids or cationic lipids may be used in amounts ranging from 0 to 50 mole percent. The amounts of the present compounds incorporated into the lipid layer of liposomes can be varied with the concentration of the lipids ranging from about 0.01 to about 50 mole percent.

Using conventional methods, approximately 20 to 30% of the compound present in solution can be entrapped in liposomes; thus, approximately 70 to 80% of the active compound is wasted. In contrast, where the compound is incorporated into liposomes, virtually all of the compound is incorporated into the liposome, and essentially none of the active compound is wasted.

The liposomes with the above formulations may be made still more specific for their intended targets with the incorporation of monoclonal antibodies or other ligands specific for a target. For example, monoclonal antibodies to the BMP receptor may be incorporated into the liposome by linkage to phosphatidylethanolamine (PE) incorporated into the liposome by the method of Leserman, L. *et al. Nature* (1980) 288:602-604.

Veterinary uses of the disclosed compounds are also contemplated. Such uses would include limitation or treatment of bone or cartilage deficits or defects in domestic animals, livestock and thoroughbred horses. The compounds described herein can also

modify a target tissue or organ environment, so as to attract bone-forming cells to an environment in need of such cells.

The compounds of the present invention may also be used to stimulate growth of bone-forming cells or their precursors, or to induce differentiation of bone-forming cell

5   precursors, either *in vitro* or *ex vivo*. As used herein, the term "precursor cell" refers to a cell that is committed to a differentiation pathway, but that generally does not express markers or function as a mature, fully differentiated cell. As used herein, the term "mesenchymal cells" or "mesenchymal stem cells" refers to pluripotent progenitor cells that are capable of dividing many times, and whose progeny will give rise to skeletal tissues,

10   including cartilage, bone, tendon, ligament, marrow stroma and connective tissue (see A. Caplan *J. Orthop. Res.* (1991) 9:641-50). As used herein, the term "osteogenic cells" includes osteoblasts and osteoblast precursor cells. More particularly, the disclosed compounds are useful for stimulating a cell population containing marrow mesenchymal cells, thereby increasing the number of osteogenic cells in that cell population. In a

15   preferred method, hematopoietic cells are removed from the cell population, either before or after stimulation with the disclosed compounds. Through practice of such methods, osteogenic cells may be expanded. The expanded osteogenic cells can be infused (or reinfused) into a vertebrate subject in need thereof. For instance, a subject's own mesenchymal stem cells can be exposed to compounds of the present invention *ex vivo*, and

20   the resultant osteogenic cells could be infused or directed to a desired site within the subject, where further proliferation and/or differentiation of the osteogenic cells can occur without immunorejection. Alternatively, the cell population exposed to the disclosed compounds may be immortalized human fetal osteoblastic or osteogenic cells. If such cells are infused or implanted in a vertebrate subject, it may be advantageous to

25   "immunoprotect" these non-self cells, or to immunosuppress (preferably locally) the recipient to enhance transplantation and bone or cartilage repair.

Within the present invention, an "effective amount" of a composition is that amount which produces a statistically significant effect. For example, an "effective amount" for therapeutic uses is the amount of the composition comprising an active compound herein

30   required to provide a clinically significant increase in healing rates in fracture repair; reversal of bone loss in osteoporosis; reversal of cartilage defects or disorders; prevention or delay of onset of osteoporosis; stimulation and/or augmentation of bone formation in

fracture non-unions and distraction osteogenesis; increase and/or acceleration of bone growth into prosthetic devices; and repair of dental defects. Such effective amounts will be determined using routine optimization techniques and are dependent on the particular condition to be treated, the condition of the patient, the route of administration, the

5   formulation, and the judgment of the practitioner and other factors evident to those skilled in the art. The dosage required for the compounds of the invention (for example, in osteoporosis where an increase in bone formation is desired) is manifested as a statistically significant difference in bone mass between treatment and control groups. This difference in bone mass may be seen, for example, as a 5-20% or more increase in bone mass in the

10   treatment group. Other measurements of clinically significant increases in healing may include, for example, tests for breaking strength and tension, breaking strength and torsion, 4-point bending, increased connectivity in bone biopsies and other biomechanical tests well known to those skilled in the art. General guidance for treatment regimens is obtained from experiments carried out in animal models of the disease of interest.

15   The dosage of the compounds of the invention will vary according to the extent and severity of the need for treatment, the activity of the administered compound, the general health of the subject, and other considerations well known to the skilled artisan. Generally, they can be administered to a typical human on a daily basis on an oral dose of about 0.1 mg/kg-1000 mg/kg, and more preferably from about 1 mg/kg to about 200 mg/kg. The

20   parenteral dose will appropriately be 20-100% of the oral dose.

Screening Assays

The osteogenic activity of the compounds used in the methods of the invention can be verified using *in vitro* screening techniques, such as the assessment of transcription of a

25   reporter gene coupled to a bone morphogenetic protein-associated promoter, as described above, or in alternative assays such as the following:

Technique for Neonatal Mouse Calvaria Assay (*In vitro*)

This assay is similar to that described by Gowen M. & Mundy G. *J Immunol* (1986)

30   136:2478-82. Briefly, four days after birth, the front and parietal bones of ICR Swiss white mouse pups are removed by microdissection and split along the sagittal suture. The bones are incubated in BGJb medium (Irvine Scientific, Santa Ana, CA) plus 0.02% (or lower

concentration) β-methylcyclodextrin, wherein the medium also contains test or control substances, at 37°C in a humidified atmosphere of 5% CO_2 and 95% air for 96 hours.

Following this, the bones are removed from the incubation media and fixed in 10% buffered formalin for 24-48 hours, decalcified in 14% EDTA for 1 week, processed

5   through graded alcohols; and embedded in paraffin wax. Three μm sections of the calvaria are prepared. Representative sections are selected for histomorphometric assessment of bone formation and bone resorption. Bone changes are measured on sections cut 200 μm apart. Osteoblasts and osteoclasts are identified by their distinctive morphology.

Other auxillary assays can be used as controls to determine non-BMP promoter-

10   mediated effects of test compounds. For example, mitogenic activity can be measured using screening assays featuring a serum-response element (SRE) as a promoter and a luciferase reporter gene. More specifically, these screening assays can detect signalling through SRE-mediated pathways, such as the protein kinase C pathway. For instance, an osteoblast activator SRE-luciferase screen and an insulin mimetic SRE-luciferase screen are

15   useful for this purpose. Similarly, test compound stimulation of cAMP response element (CRE)-mediated pathways can also be assayed. For instance, cells transfected with receptors for PTH and calcitonin (two bone-active agents) can be used in CRE-luciferase screens to detect elevated cAMP levels. Thus, the BMP promoter specificity of a test compound can be examined through use of these types of auxillary assays.

20

In vivo Assay of Effects of Compounds on Murine Calvarial Bone Growth

Male ICR Swiss white mice, aged 4-6 weeks and weighing 13-26 gm, are employed, using 4-5 mice per group. The calvarial bone growth assay is performed as described in PCT application WO 95/24211, incorporated by reference. Briefly, the test

25   compound or appropriate control vehicle is injected into the subcutaneous tissue over the right calvaria of normal mice. Typically, the control vehicle is the vehicle in which the compound was solubilized, and is PBS containing 5% DMSO or is PBS containing Tween (2 μl/10 ml). The animals are sacrificed on day 14 and bone growth measured by histomorphometry. Bone samples for quantitation are cleaned from adjacent tissues and

30   fixed in 10% buffered formalin for 24-48 hours, decalcified in 14% EDTA for 1-3 weeks, processed through graded alcohols; and embedded in paraffin wax. Three to five μm

sections of the calvaria are prepared, and representative sections are selected for histomorphometric assessment of the effects on bone formation and bone resorption. Sections are measured by using a camera lucida attachment to trace directly the microscopic image onto a digitizing plate. Bone changes are measured on sections cut 200

5   μm apart, over 4 adjacent 1x1 mm fields on both the injected and noninjected sides of the calvaria. New bone is identified by its characteristic woven structure, and osteoclasts and osteoblasts are identified by their distinctive morphology. Histomorphometry software (OsteoMeasure, Osteometrix, Inc., Atlanta) is used to process digitizer input to determine cell counts and measure areas or perimeters.

10

Additional *In Vivo* Assays

Lead compounds can be further tested in intact animals using an *in vivo*, dosing assay. Prototypical dosing may be accomplished by subcutaneous, intraperitoneal or oral administration, and may be performed by injection, sustained release or other delivery

15   techniques. The time period for administration of test compound may vary (for instance, 28 days as well as 35 days may be appropriate). An exemplary, *in vivo* subcutaneous dosing assay may be conducted as follows:

In a typical study, 70 three-month-old female Sprague-Dawley rats are weight-matched and divided into seven groups, with ten animals in each group. This includes a

20   baseline control group of animals sacrificed at the initiation of the study; a control group administered vehicle only; a PBS-treated control group; and a positive control group administered a compound (non-protein or protein) known to promote bone growth. Three dosage levels of the compound to be tested are administered to the remaining three groups.

Briefly, test compound, positive control compound, PBS, or vehicle alone is

25   administered subcutaneously once per day for 35 days. All animals are injected with calcein nine days and two days before sacrifice (two injections of calcein administered each designated day). Weekly body weights are determined. At the end of the 35-day cycle, the animals are weighed and bled by orbital or cardiac puncture. Serum calcium, phosphate, osteocalcin, and CBCs are determined. Both leg bones (femur and tibia) and lumbar

30   vertebrae are removed, cleaned of adhering soft tissue, and stored in 70% ethanol for evaluation, as performed by peripheral quantitative computed tomography (pQCT; Ferretti,

J. Bone (1995) 17:353S-64S), dual energy X-ray absorptiometry (DEXA; Laval-Jeantet A.

et al. Calcif Tissue Intl (1995) 56:14-18; J. Casez *et al. Bone and Mineral* (1994) 26:61-

68) and/or histomorphometry. The effect of test compounds on bone remodeling can thus

be evaluated.

5   Lead compounds can also be tested in acute ovariectomized animals (prevention

model) using an *in vivo* dosing assay. Such assays may also include an estrogen-treated

group as a control. An exemplary subcutaneous dosing assay is performed as follows:

          In a typical study, 80 three-month-old female Sprague-Dawley rats are weight-

matched and divided into eight groups, with ten animals in each group. This includes a

10   baseline control group of animals sacrificed at the initiation of the study; three control

groups (sham ovariectomized (sham OVX) + vehicle only; ovariectomized (OVX) +

vehicle only; PBS-treated OVX); and a control OVX group that is administered a

compound known to promote bone growth. Three dosage levels of the compound to be

tested are administered to the remaining three groups of OVX animals.

15   Since ovariectomy (OVX) induces hyperphagia, all OVX animals are pair-fed with

sham OVX animals throughout the 35 day study. Briefly, test compound, positive control

compound, PBS, or vehicle alone is administered subcutaneously once per day for 35 days.

Alternatively, test compound can be formulated in implantable pellets that are implanted for

35 days, or may be administered orally, such as by gastric gavage. All animals, including

20   sham OVX/vehicle and OVX/vehicle groups, are injected intraperitoneally with calcein nine

days and two days before sacrifice (two injections of calcein administered each designated

day, to ensure proper labeling of newly formed bone). Weekly body weights are

determined. At the end of the 35-day cycle, the animals' blood and tissues are processed as

described above.

25   Lead compounds may also be tested in chronic OVX animals (treatment model).

An exemplary protocol for treatment of established bone loss in ovariectomized animals

that can be used to assess efficacy of anabolic agents may be performed as follows. Briefly,

80 to 100 six month old female, Sprague-Dawley rats are subjected to sham surgery (sham

OVX) or ovariectomy (OVX) at time 0, and 10 rats are sacrificed to serve as baseline

30   controls. Body weights are recorded weekly during the experiment. After approximately 6

weeks of bone depletion (42 days), 10 sham OVX and 10 OVX rats are randomly selected

for sacrifice as depletion period controls. Of the remaining animals, 10 sham OVX and 10

OVX rats are used as placebo-treated controls. The remaining OVX animals are treated with 3 to 5 doses of test drug for a period of 5 weeks (35 days). As a postitive control, a group of OVX rats can be treated with an agent such as PTH, a known anabolic agent in this model (Kimmel *et al. Endocrinology* (1993) 132:1577-84). To determine effects on

5   bone formation, the following procedure can be followed. The femurs, tibiae and lumbar vertebrae 1 to 4 are excised and collected. The proximal left and right tibiae are used for pQCT measurements, cancellous bone mineral density (BMD) (gravimetric determination), and histology, while the midshaft of each tibiae is subjected to cortical BMD or histology. The femurs are prepared for pQCT scanning of the midshaft prior to biomechanical testing.

10   With respect to lumbar vertebrae (LV), LV2 are processed for BMD (pQCT may also be performed); LV3 are prepared for undecalcified bone histology; and LV4 are processed for mechanical testing.

Nature of the Compounds Useful in the Invention

15   All of the compounds of the invention contain two aromatic systems, Ar^1 and Ar^2, spaced apart by a linker at a distance of 1.5-15Å, and may contain at least one nitrogen atom. Both the systems represented by Ar^1 and Ar^2 may contain non-interfering substituents. The non-interfering substituents on the aromatic system represented by Ar^1 and the non-interfering substituents on the aromatic system represented by Ar^2 are

20   represented in the formulae herein by R^a and R^b, respectively; however, it is recognized that the designation of one Ar as Ar^1 and the other as Ar^2 is arbitrary. For ease of reference, each is designated separately; it will, however, be evident that the linkers described below, unless palindromic, could thus exist in the compounds in "reverse" order of atoms. Generally, the non-interfering substituents can be of wide variety. Among substituents that

25   do not interfere with the beneficial effect of the compounds of the invention on bone in treated subjects are included alkyl (1-6C, preferably lower alkyl 1-4C), including straight or branched-chain forms thereof, alkenyl (1-6C, preferably 1-4C), alkynyl (1-6C, preferably 1-4C), all of which can be straight or branched chains and may contain further substituents; halogens, including F, Cl, Br and I; siloxy, OR, SR, NR_2, OOCR, COOR, NCOR,

30   NCOOR, and benzoyl, CF_3, OCF_3, SCF_3, $N(CF_3)_2$, CN, SO, SO_2R and SO_3R wherein R is alkyl (1-6C) or is H. Where two R^a or two R^b substituents are in adjacent positions in the

ar matic system, they may form a ring. Further, rings may be included in substituents which contain sufficient carbon atoms and heteroatoms to provide this possibility.

Preferred non-interfering substituents include hydrocarbyl groups of 1-6C, including saturated and unsaturated, linear or branched hydrocarbyl as well as hydrocarbyl groups

5   containing ring systems; halo groups, alkoxy, hydroxy, amino, monoalkyl- and dialkylamino where the alkyl groups are 1-6C, CN, CF_3, and COOR.

Although the number of R^a and R^b substituents may typically be 0-4 or 0-5 depending on the available positions in the aromatic system, preferred embodiments include those wherein the number of R^a is 0, 1 or 2 and of R^b is 0, 1 or 2.

10   The linker group, L, may be a covalent bond or any group having a valence of at least two and covering a linear distance of from about 1.5 to about 15 Angstroms, including those that contain cyclic moieties, that meet this spatial requirement. Useful linkers are divided, by definition herein, into three general categories: (1) flexible non-conjugating linkers, (2) flexible conjugating linkers, and (3) constrained linkers. The

15   preferred choice of linker will depend on the choices for Ar^1 and Ar^2. Not all of the linkers defined below are suitable for all Ar^1 and Ar^2 combinations.

As defined herein, *flexible non-conjugating* linkers are those that link only one position of Ar^1 to one position of Ar^2, and provide only a single covalent bond or a single chain between Ar^1 and Ar^2. The chain may contain branches, but may not contain π-bonds

20   (except in the branches) or cyclic portions in the chain. The linker atoms in the chain itself rotate freely around single covalent bonds, and thus the linker has more than two degrees of freedom. Particularly useful flexible non-conjugating linkers, besides a covalent bond, are those of the formulae: -NR-, -CR₂-, -S-, or -O-, wherein R is H or alkyl (1-6C), more preferably H or lower alkyl (1-4C) and more preferably H. Also preferred are those of the

25   formulae: -NRCO-, -CONR-, -CR₂S-, -SCR₂-, -OCR₂-, -CR₂O-, -NRNR-, -CR₂CR₂-, -NRSO₂-, -SO₂NR-, -CR₂CO-, -COCR₂-, and -NR-NR-CO-CR₂- and its complement -CR₂-CO-NR-NR-, including the isosteres thereof. Also preferred are those of the formulae: -NR(CR₂)₂NR-, -O(CR₂)₂O-, and -S(CR₂)₂S-, including the isosteres thereof. The optimum choice of linker within this group is dependent on the nature of Ar^1 and Ar^2.

30   *Flexible conjugating* linkers are those that link only one position of Ar^1 to one position of Ar^2, but incorporate at least one double or triple bond and/or one or more cyclic systems and thus have only two degrees of freedom. A flexible conjugating linker may

form a completely conjugated π-bond linking system between Ar¹ and Ar², thus providing

for co-planarity of Ar¹ and Ar². Examples of useful flexible conjugating linkers include:

-RC=CR-; -N=N-; -C≡C-; -RC=N-; -N=CR-; -NR-N=CR-; -NR-NR-CO-CR=CR-; and the

like, where R is H or alkyl (1-6C); preferably H or lower alkyl (1-4C); and more preferably

5   H.

Constrained linkers are those that have more than one point of attachment to either

or both Ar¹ and Ar² and, thus, generally allow for only one degree of freedom. Constrained

linkers most frequently form fused 5- or 6-membered cyclic moieties with Ar¹ and/or Ar²

where either Ar¹ or Ar² has at least one substituent appropriately positioned to form a

10   second covalent bond with the linker, e.g., where Ar² is a phenyl group with a reactive,

ortho-positioned substituent, or is derivatized to the linker directly at the ortho position.

(Although the aromatic moieties should properly be referred to as phenylene or naphthylene

in such cases, generally the term "phenyl" or "naphthyl" is used herein to include both

monovalent and bivalent forms of these moieties.) Examples of particularly useful

15   constrained linkers include

and the like, where X is O, N, S or CR, and Y is CR₂ or C=O.

Many of the compounds useful in the invention are commercially available and can

be synthesized by art-known methods. Those compounds useful in the invention which are

20   new compounds, can similarly be obtained by methods generally known in the art.

In one set of compounds of the inventions, Ar^1 is a substituted or unsubstituted aromatic system containing a six-membered heterocycle and the compounds useful in the invention have the formula:

$$R^a_m \quad Z \quad Z \quad X \quad L-Ar^2$$

$$Ar^1$$

wherein R^a is a non-interfering substituent;

m is an integer of 0-4;

each dotted line represents an optional π-bond;

each Z is independently N, NR, O, S, CR or CR_2, where each R is independently H or alkyl (1-6C);

X is O, S, SO or SO_2;

L is a flexible linker; and

Ar^2 is a substituted or unsubstituted 6-membered aromatic ring.

A particularly preferred set of embodiments is of the formula:

$$R^5$$
$$R^4 \quad X \quad Y$$
$$R^3 \quad Z \quad R^1$$
$$R^2 \quad I$$

in which:

R^1 is taken from the group: $N=NAr$, NR^6COAr, $CONR^6Ar$, CH_2OAr, CH_2NR^6Ar, where Ar is a six-membered (un)substituted aromatic ring. Allowable substituents on this aromatic ring include:

halogen, straight or branched chain lower alkyl, alkenyl, or alkynyl, optionally substituted by a six-membered aromatic, cyclic alkyl, or cyclic alkenyl ring, hydroxyl, siloxy, acyloxy, straight or branched chain lower alkoxyl, benzoyl, carboalkoxy, carbamoyl optionally substituted at nitrogen by lower chain alkyl or phenyl, or carboxy, in which

R^6 is taken from the group: hydrogen, or straight or branched chain lower alkyl;

R^2 and R^5 are individually taken from the group: H,

hydroxy, siloxy, acyloxy, halo, cyano, straight or branched chain lower alkyl, or straight or branched chain lower alkoxyl;

R^3 and R^4 are individually taken from the group: H,

halogen, straight or branched chain lower alkyl, alkenyl, or alkynyl optionally substituted by a six-membered aromatic, cyclic alkyl, or cyclic alkenyl ring, hydroxyl, siloxy, acyloxy, straight or branched chain lower alkoxyl, benzoyl, carboalkoxy, carbamoyl optionally substituted at nitrogen by lower chain alkyl or phenyl, and carboxy;

X and Y are either: NR^8 and N, respectively, in which case X and Y are singly bonded, or CR^9 and CR^{10}, respectively, in which case X and Y are doubly bonded, wherein

R^8 is either H or lower alkyl;

R^9 and R^{10} are individually taken from the group: H,

halo, and lower alkyl;

Z   is taken from the group: O, S, SO, and SO_2;

or salts thereof.

Compounds of the general structure I above can be prepared in a variety of ways, for example:

    a)   treating thiohydrazides of general structure II, or the corresponding thiohydrazones, in hot acetic acid in air,

; or

    b)   reacting compounds of the general structure III with bromine,

$$\begin{array}{c} R^4 \\ R^3 \end{array} \overset{R^5}{\underset{R^2}{\bigg|}} \quad \overset{H}{\underset{H}{N}} \quad \overset{S}{\underset{H}{\overset{\|}{N}}} \quad R \\ \text{III}$$

; or

c)   heating compounds of general structure IV in a protic solvent,

$$\begin{array}{c} R^4 \\ R^3 \end{array} \overset{R^5}{\underset{R^2}{\bigg|}} \quad \overset{H}{\underset{H}{N}} \quad \overset{S}{\underset{H}{\overset{\|}{N}}} \quad R \\ \quad\quad F \\ \text{IV}$$

; or

d)   reacting compounds of the general structures V or VI with sodium hydride,

$$\begin{array}{c} R^4 \\ R^3 \end{array} \overset{R^5}{\underset{R^2}{\bigg|}} \quad \overset{H}{\underset{Cl}{N}} \quad \overset{S}{\underset{H}{\overset{\|}{N}}} \quad R \\ \text{V} \quad\quad\quad\quad \begin{array}{c} R^4 \\ R^3 \end{array} \overset{R^5}{\underset{R^2}{\bigg|}} \quad \overset{H}{\underset{NO_2}{N}} \quad \overset{O}{\underset{H}{\overset{\|}{N}}} \quad R \\ \text{VI}$$

; or

e)   reacting compounds of the general structure VII with a base,

$$\begin{array}{c} R^4 \\ R^3 \end{array} \overset{R^5}{\underset{R^2}{\bigg|}} \quad \overset{H}{\underset{S-\!\!-}{N}} \quad \overset{Cl}{\underset{CN}{N}} \quad COR \\ \text{VII}$$

; or

f)   reacting pyrylium compounds of general structure VIII with an appropriate nucleophile,

$$
\begin{array}{c}
R^5 \\
R^4 \\
R^3 \quad + \\
O \\
R^2
\end{array}
$$

V I I I

where R^2, R^3, R^4, R^5, are as defined above and R is taken from the group: Ar, NHAr, NHNHAr, COAr, carboalkoxy, alkoxy, NR^6COAr, CH_2OAr, and CH_2NR^6Ar, in which Ar and R^6 are as described above, followed, optionally, by conversion of any one or more of the groups, R, R^2, R^3, R^4, R^5 into new groups R, R^2, R^3, R^4, R^5 by deprotection, coupling, addition, substitution, or elimination; or by oxidation of the sulfur to sulfoxide or sulfone; and, if desired, by converting a compound of the general structure I into its salt or setting it free from its salt.

Example:

Diphenyl thiohydrazone is heated in refluxing acetic acid in air for 30 to 90 minutes to afford benzothiadiazene 1.

Specific representatives of compounds of the general structure I include:

3-phenylazo-1H-4,1,2-benzothiadizine

2-phenylazo-2H-benzopyran

Another group of compounds suitable for use in the methods of the invention are compounds of the formula:

$$R^a{}_n \text{—} \bigcirc \text{—L—Ar}^2$$

wherein R^a is a non-interfering substituent;

n is an integer of 0 and 5;

L is a flexible linker which does not contain nitrogen; and

Ar^2 is a substituted or unsubstituted phenyl or a substituted or unsubstituted naphthyl.

Particularly preferred embodiments of this group of compounds are those of the formula:

$$\begin{array}{c} R^{37} \quad O \quad R^{35} \\ \\ R^{38} \quad \quad \quad R^{36} \\ \\ XXXV \end{array}$$

in which

R^{35} is taken from the group: H, hydroxy, alkoxyl, acyloxy, and silyloxy;

R^{36} is either Ar, or COAr, in which Ar is (un)substituted phenyl in which the allowed substituents are taken from the group: H, hydroxy, (un)substituted alkoxy, acyloxy, siloxy, (un)substituted alkyl, (un)substituted alkenyl, or (un)substituted alkynyl, carboxy, carboalkoxy, carbamoyl optionally substituted at nitrogen by lower chain alkyl, and aryl;

R^{37} is taken from the group: H, hydroxy, alkoxy, halo, acyloxy, and siloxyl;

R^{38} is taken from the group: H, hydroxy, alkoxy, acyloxy, siloxy, (un)substituted alkoxy, acyloxy, siloxy, (un)substituted alkyl, (un)substituted alkenyl, and (un)substituted alkynyl,

or salts thereof.

Compounds of general structure XXXV can be prepared by treating an acetophenone of general structure XXXVI with an appropriate aldehyde of general structure XXXVII under either basic or acidic conditions,

$$
\begin{array}{cc}
R^{38}\!-\!\underset{\displaystyle R^{37}}{\bigcirc}\!-\!\overset{O}{\overset{\|}{C}}\!-\!CH_3 & \underset{O}{\overset{H}{\underset{\displaystyle}{}}}\!-\!R^{36} \\
\text{XXXVI} & \text{XXXVII}
\end{array}
$$

5 or by treating an appropriate alkyne of general structure XXXVIII with an acid halide of general structure XXXIX in the presence of a suitable catalyst, such as aluminum trichloride,

$$
\begin{array}{cc}
H\!-\!\!\equiv\!\!-\!R^{36} & R^{38}\!-\!\underset{\displaystyle R^{37}}{\bigcirc}\!-\!\overset{O}{\overset{\|}{C}}\!-\!Cl \\
\text{XXXVIII} & \text{XXXIX}
\end{array}
$$

10 or by treating acid halides of the general structure XXXIX with (E)-1,2-bis(tri-n-butylstanyl)ethylene, or with a vinylstanane of general structure XL in the presence of a suitable catalyst, for example, a palladium catalyst.

$$
(n\text{-}Bu)_3Sn\!-\!\underset{\displaystyle R^{35}}{\bigcirc}\!-\!R^{36}
$$

XL

or by treating an acetophenone of general structure XLI with a strong base,

$$
\underset{\textbf{XLI}}{
\begin{array}{c}
R^{37} \quad O \\
\vdots \qquad \parallel \\
\parallel \quad \vdots \qquad CH_3 \\
R^{38} \qquad O \\
\qquad O \overset{O}{\diagup} R^{36}
\end{array}
}
$$

where R^{35}, R^{36}, R^{37}, and R^{38} are as defined above, followed, optionally, by conversion of any one or more of the groups R^{35}, R^{36}, R^{37}, and R^{38} into new groups R^{35}, R^{36}, R^{37}, and R^{38} by deprotection, coupling, addition, substitution, or elimination, and, if

5   desired, by converting a compound of the general structure XXXV into its salt or setting it free from its salt.

Specific representative compounds of general structure XXXV include:

    2,4-dimethoxy-2'-hydroxychalcone

10   1-(2-hydroxyphenyl)-3-(4-methoxyphenyl)propan-

    1,3-dione

    1,4-dioxo-1,4-diphenylbut-2-ene

Still another group of compounds useful in the invention are those of the formula:

$$
R^{a}_{\,n} \quad \bigcirc \!\!-\!\!L\!-\!Ar^2
$$

15

wherein R^s is a non-interfering substituent;

n is an integer of 0 and 5;

L is a constrained linker; and

20   Ar^2 is a substituted or unsubstituted phenyl or a substituted or unsubstituted naphthyl.

Particularly preferred compounds in this group are those of formulas IX, XIV, and XX as follows:

$$R^{16} \quad R^{17} \quad X^1 \quad R^{11}$$
$$R^{15} \quad \quad R^{13} \quad R^{12}$$
$$R^{14} \quad O$$
$$IX$$

in which:

R^{11} and R^{12} are individually taken from the group:

H, hydroxy, C_{1-6} alkoxy, acetyloxy, and C_{1-12} (un)substituted alkyl;

R^{13}, R^{14} and R^{17} are individually taken from the group:

H, hydroxy, C_{1-6} straight or branched chain alkoxy, and acetyloxy;

R^{15} is taken from the group: Hydroxy, (un)substituted C_{1-12} alkoxy, C_{1-12} alkyl, (un)substituted alkenyl, and acetyloxy;

R^{16} is taken from the group: H, hydroxy, (un)substituted lower alkoxy, acetoxy, (un)substituted alkyl, and (un)substituted alkenyl;

where R^{11}, R^{12} may form a 5-7 member (un)substituted carbocycle or heterocycle;

where R^{15}, R^{16} may form a 5-7 member (un)substituted carbocyclic or heterocyclic ring;

X^1 is either carbonyl or CH_2;

and the dotted line may be a double bond,

in which permissible substituents on the above mentioned substituted groups include: Lower alkyl, lower alkoxyl, hydroxy, siloxy, halo, carboxyl, and aryl, with the following provisions:

if X^1 is carbonyl and

if R^{15} is hydroxy and if only one of R^{11}, R^{12}, or R^{13} is hydroxy, then at least one of R^{14}, R^{16}, and R^{17} must be other than H;

or if R^{15} is alkoxy, and if R^{11}, R^{12}, R^{13} together are H, then R^{17} can be neither H nor hydroxy;

or if R^{15} is (un)substituted alkoxy, and if R^{11}, R^{12}, and R^{13} together consist of only H, or H and one or two alkoxy, and R^{17} is H, then R^{14} must be other than H, Me or hydroxymethyl;

or if R^{15} is hydroxy or alkoxy, and if R^{11}, R^{12}, R^{13} together consist of only H,
or H and one or two alkoxy, or H and only one or two alkyl, and R^{17} is C_{1-4} alkyl,
then at least one of R^{14} and R^{16} must be other than H;

or if R^{15} is hydroxy and if R^{11}, R^{12}, R^{13}, R^{14}, and R^{16} all are H, R^{17} must be
neither H nor hydroxy;

or if R^{15} is iso-propoxy, and if R^{11}, R^{12}, and R^{13} together consist of only H,
or H and one or two hydroxys, then at least one of R^{14}, R^{16}, R^{17} must be other than
H;

or if R^{15} is 1,5 di(lower) alkyl C_{5-10} alkyl, then at least one of R^{11}, R^{12}, R^{13},
R^{14}, R^{16}, and R^{17} must be other than H;
or salts thereof.

Compounds of the general structure shown above can be made by a process
wherein ketones of the structure (X) shown below:

are reacted with an alkylorthoformate in the presence of
a base, or
are reacted with an ethyloxalyl chloride in the presence
of pyridine, followed by hydrolysis and decarboxylation, or
are reacted with an alkyl formate in the presence of an
alkali metal, or
are reacted with an N,N-dialkyl formamide in the presence
of phosphorous oxychloride, or
are reacted with a cyanide in the presence of hydrogen
halide,

or by dehydrating 2-hydroxyisoflavanoids of the general structure (XI):

$$R^{16} \quad R^{17} \quad O \quad R^{11} \quad R^{12}$$
$$R^{15} \quad O \quad OH \quad R^{13}$$
$$R^{14} \quad XI$$

or by subjecting compounds of the general structure XII to catalytic hydrogenation,

$$R^{16} \quad R^{17} \quad O \quad R^{11}$$
$$R^{15} \quad O \quad R^{13} \quad R^{12}$$
$$R^{14} \quad XII$$

or by treating compounds of the general structure XIII,

available from alkylation of the corresponding phenylacetate with an appropriate benzylhalide, followed by reduction, with $(PF_6)_2Rh(EtC_5Me_4)(C_6H_6)$,

$$R^{16} \quad R^{17} \quad R^{11}$$
$$R^{15} \quad R^{13} \quad R^{12}$$
$$R^{14} \quad F \quad OH$$
$$XIII$$

in which the groups R^{11}, R^{12}, R^{13}, R^{14}, R^{15}, R^{16}, and R^{17} are as defined above, followed, optionally, by the conversion of any one or more of groups R^{11}, R^{12}, R^{13}, R^{14}, R^{15}, R^{16}, and R^{17} into new groups R^{11}, R^{12}, R^{13}, R^{14}, R^{15}, R^{16}, and R^{17} by deprotection,

dehydrogenation, addition, substitution, or elimination, and, if desired, by converting a compound of the general structure IX into its salt or setting it free from its salt.

Example:

5   1,3,5-trihydroxybenzene is allowed to react with iso-pentynyl chloride, followed by catalytic hydrogenation, to give product 2. The compound 2 is allowed to react with the acid chloride 3 to provide the ketone 4. Ketone 4 is treated with ethyloxalyl chloride in pyridine at 0°C to afford an ester, which is hydrolyzed in aqueous acetone containing sodium carbonate to give the acid 5. When heated in refluxing toluene, acid 5 undergoes

10   decarboxylation to give compound 6, which upon treatment with 2,3-dichloro-5,6-dicyano-1,4-benzoquinone gives the isoflavanoid 7.

Specific representatives of compounds of the general structure IX include:

25   tectorigenin

robustone

robustone methyl ether

7,2',4'-trihydroxyisoflavone

6,2',3'-trihydroxy-7,4'-dimethoxyisoflavan

30   8,4'-dimethoxy-7-hydroxisoflavone

Compounds of XIV have the structure:

XIV

in which:

R[18] and R[19] are individually taken from the group:

H, hydroxy, (un)substituted alkyl, (un)substituted alkoxy, COR[21] carboxy, carboalkoxy, OR[22], carbamoyl optionally substituted at the nitrogen by lower chain alkyl or phenyl, acyloxy, halo, cyano, and azido.

R[20] is taken from the group: H, hydroxy, halo, lower chain alkyl, acyloxy, and siloxy;

in which R[21] is taken from the group: Alkyl, alkenyl,

alkynyl, aralkyl, (un)substituted phenyl, (un)substituted naphthyl, thienyl, furanyl, and pyridyl;

and R[22] is comprised of a C_{3-6} carbohydrate moiety;

or salts thereof.

Compounds of general structure XIV can be prepared by reacting ylides of general structure XV with either acid chlorides of general structure XVI or acid anhydrides of general structure XVII:

or by treating acids of the general structure XVIII with polyphosphoric acid, trifluoracetic anhydride, or similar reagent,

$$R^{18}$$

$$R^{20}$$

$$R^{19} \qquad O \qquad CO_2H$$

$$XVIII$$

or by treating chalcones of general structure XIX with either base, or with base followed by treatment with 2,3-dichloro-5,6-dicyano-1,4-benzoquinone.

$$R^{20} \qquad O$$

$$R^{19} \qquad OH \qquad R^{18}$$

$$XIX$$

in which the groups R^{18}, R^{19}, R^{20} are as above, followed, optionally, by conversion of any one or more of the groups R^{18}, R^{19}, R^{20} into new groups R^{18}, R^{19}, R^{20} by deprotection, coupling, addition, substitution, or elimination, and, if desired, by converting a compound of general structure XIV into its salt or setting it free from its salt.

Specific representatives of compounds of the general structure XIV are:

5,4'-dimethyl-7-acetylflavone

7-benzoyloxyflavanone

apiin acetate

Compounds of structure XX are of the formula:

$$R^{26} \quad \overset{\displaystyle Y^1}{\underset{\displaystyle X^2}{\|}} \quad R^{23}$$

$$R^{25} \qquad\qquad R^{24}$$

XX

where

R^{23}, R^{24}, R^{25}, R^{26} are individually taken from the group:

H, hydroxy, (un)substituted alkoxy, siloxy, (un)substituted alkyl, (un)substituted alkenyl, halo, carboxyl, and acyloxy, and where R^{23} and R^{24}, and likewise R^{25} and R^{26}, can together equal a 5-7 member (un)substituted carbocyclic or heterocyclic ring, and where substituents on the above mentioned optionally substituted groups may include lower chain alkyl, lower chain alkoxy, hydroxy, siloxy, acyloxy, halo, benzoyl, carboxy, carboalkoxy, and carbamoyl optionally substituted at nitrogen with lower chain alkyl, phenyl, thienyl, furyl, or pyridinyl;

Y^1 is taken from the group: O, -OCH$_2$CH$_2$O-, -OCH$_2$CH$_2$S-, -OCH$_2$CH$_2$CH$_2$O-, -SCH$_2$CH$_2$CH$_2$S-, and -SCH$_2$CH$_2$S-;

X^2 is taken from the group: CH$_2$, O, and S;

with the following provisions:

if X and Y are O and R^{24} or R^{25} are either both alkoxy, or alkoxy and alkyl, irrespective of order, then at least one of R^{23} and R^{26} must be other than H,

or salts thereof.

Compounds of the general structure XX can be prepared by reacting amides of general structure XXI with *sec*-butyl lithium and tetramethylethylenediamine in THF, followed by addition of benzaldehydes of general structure XXII, and the addition of acid. The resulting lactones of general structure XXIII can be reduced by catalytic hydrogenation or treatment with activated zinc in acid, followed by dehydration with trifluoracetic anhydride,

or, by treating diaryl ethers of general structure XXIV with sulfuric acid, alumium trichloride, trifluoracetic anhydride, or similar reagent,

XXIV

5

where R^{23}, R^{24}, R^{25}, R^{26} are as defined above, followed, optionally, by conversion of any one or more of the groups R^{23}, R^{24}, R^{25}, R^{26} into new groups R^{23}, R^{24}, R^{25}, R^{26} by deprotection, coupling, addition, substitution, or elimination, and, if desired, by converting a compound of the general structure XX into its salt or setting it free from its salt.

10

Specific representatives of compounds of the general structure XX include:

3-isopropoxyanthrone

Another group that is useful in the invention are of the formula:

$$X^4 \!-\! X^3$$
$$X^5 \left(+ \right) $$
$$X^6 \qquad \underset{X^7}{\overset{-}{}}$$

XXV

in which:

X^3 is NR^{27}, X^4 is CR^{30}, X^5 is O, X^6 is CR^{31}, X^7 is O$^-$;

or   X^3 is NR^{30}, X^4 is CR^{27} or N, X^5 is NR^{31}, X^6 is CR^{28}, X^7 is O$^-$ or S$^-$;

or   X^3 is NR^{27}, X^4 is CR^{30}, X^5 is NR^{28}, X^6 is CR^{31}, X^7 is O$^-$ or S$^-$;

or   X^3 is NR^{27}, X^4 is CR^{28} or N, X^5 is NR^{30}, X^6 is CR^{29}, X^7 is NR^{32};

or   X^3 is NR^{30}, X^4 is CR^{27} or N, X^5 is NR^{28}, X^6 is CR^{29}, X^7 is NR^{32};

or   X^3 is NR^{27}, X^4 is CR^{30}, X^5 is S, X^6 is CR^{31}, X^7 is NR^{32};

or   X^3 is NR^{30}, X^4 is CR^{27}, X^5 is S, X^6 is CR^{28}, X^7 is NR^{32};

or   X^3 is S, X^4 is CR^{30}, X^5 is NR^{27}, X^6 is CR^{31}, X^7 is O$^-$ or S$^-$;

or   X^3 is S, X^4 is CR^{30}, X^5 is NR^{27}, X^6 is CR^{28}, X^7 is NR^{32};

or   X^3 is S, X^4 is CR^{27}, X^5 is NR^{30}, X^6 is CR^{28}, X^7 is NR^{32};

or   X^3 is S, X^4 is CR^{30}, X^5 is S, X^6 is CR^{27}, X^7 is NR^{32};

or   X^3 is S, X^4 is CR^{30}, X^5 is S, X^6 is CR^{31}, X^7 is O$^-$;

or   X^3 is NR^{30}, X^4 is CR^{27} or N, X^5 is NR^{31}, X^6 is N, X^7 is O$^-$ or S$^-$;

or   X^3 is NR^{27}, X^4 is CR^{30}, X^5 is NR^{28}, X^4 is N, X^7 is NR^{32} or CZ^{2}Z^3;

or   X^3 is NR^{27}, X^4 is CR^{28} or N, X^5 is NR^{30}, X^4 is N, X^7 is NR^{32} or CZ^{2}Z^3;

or   X^3 is NR^{30}, X^4 is N, X^5 is S, X^6 is CR^{31}, X^7 is O$^-$;

or   X^3 is S, X^4 is CR^{27}, X^5 is NR^{30}, X^6 is N, X^7 is NR^{32};

or   X^3 is S, X^4 is CR^{30}, X^5 is NR^{27}, X^6 is N, X^7 is NR^{32};

or   X^3 is O or S, X^4 is N, X^5 is NR^{30}, X^6 is N, X^7 is NR^{32};

in which

R^{27}, R^{28} and R^{29} are individually straight or branched chain

lower alkyl;

R^{30} and R^{31} are individually taken from the group:

hydrogen, straight or branched chain (un)substituted alkyl, (un)substituted aromatic, in which the substituents may include: Halogen, straight or branched chain lower alkyl, alkenyl, alkynyl optionally substituted by a six-membered aromatic, cyclic alkyl, or cyclic alkenyl ring, hydroxyl, straight or branched chain alkoxyl, benzoyl, carboalkoxy, carbamoyl optionally substituted at nitrogen by lower chain alkyl or phenyl, or carboxy;

R^{32} is taken from the group:

Ar, COAr, COR^{33}, where Ar is a six-membered (un)substituted aromatic ring, in which substituents on this ring may include: Halogen, straight or branched chain lower alkyl, alkenyl, alkynyl optionally substituted by a six-membered aromatic, cyclic alkyl, or cyclic alkenyl ring, hydroxyl, straight or branched chain alkoxyl, benzoyl, carboalkoxy, carbamoyl optionally substituted at nitrogen by lower chain alkyl or phenyl, or carboxy;

R^{33} is taken from the group: Hydrogen, and straight or
     branched chain alkyl;

Z^2 and Z^3 are individually taken from the group: CN and
     CO_2R^{34};

R^{34} is taken from the group: Hydrogen, straight or
     branched chain alkyl, and (un)substituted aromatic;
     or salts thereof.

Compounds of general structure XXV above can be prepared by treating compounds of general structure XXVI, where X^8 is NR^{30} or S, X^9 is CR^{30} or N, X^{10} is NR^{30} or S, Z^4 is CO_2H, CO_2R^{30} or CN, with acid chlorides or anhydrides,

$$X^9 = X^8$$
$$X^{10}$$
$$—Z^4$$
$$R^{30}$$
$$XXVI$$

or by reacting compounds of general structure XXVII, where X^{11} is NR^{30} or S, X^{12} is N or CR^{30}, X^{13} is halogen, SMe, or OEt, with amines, sulfides or enolates.

$$X^{12}-X^{11}$$

$$N \quad\quad X^{14}$$

$$X^{13}$$

XXVII

or by reacting compounds of general structure XXVIII, where X^{15} is O or S with isocyanates, isothiocyanates, or carbon disulfide.

$$R^{30}$$

$$X^{15}$$

$$R^{27}N \quad + \quad O$$

$$R^{31}$$

XXVIII

or by reacting compounds of general structure XXIX with sodium hydroxide,

$$N-O$$

$$R^{30}N \quad + \quad NR^{32}$$

$$N$$

XXIX

or by reacting compounds of general structure XXX with alkyl tosylates, aryl tosylates or alkyl halides,

$$N = N$$

$$R^{30}N \qquad \qquad NHR^{32}$$

XXX

or by reacting compounds of general structure XXXI with aryl isocyanide
dichlorides, phosgene, thiophosgene, or 3,3-bis(methylthio)acrylonitriles,

$$R^{27}$$
$$= NR^{30}$$
$$R^{31} — N$$
$$NH_2$$

XXXI

or by reacting compounds of general structure XXXII, where X^{16} is O, S, or NH,
with sodium ethoxide or HCl in the presence of acid chlorides or HCl in the presence of
acid anhydrides,

$$R^{27}$$
$$= O$$
$$R^{30} — N \qquad X^{16}$$
$$HN —$$
$$R^{31}$$

XXXII

or by reacting compounds of general structure XXXIII, where X^{17} is NH or S, with
acid chlorides, acid anhydrides, or HONO,

$$NHR^{30}$$
$$R^{31}HN \qquad X^{17}$$
$$\underset{H}{N}$$

XXXIII

or by reacting compounds of general structure XXXIV with Cu(acac)$_2$,

$$
\begin{array}{c}
R^{27} \\
\Vert \\
=O \\
R^{30}\!-\!\!\!\diagdown\qquad N^2 \\
\diagdown\diagup \\
\diagup \\
O\qquad R^{31}
\end{array}
$$

XXXIV

where R^{22}, R^{28}, R^{29}, R^{30}, R^{31}, R^{32}, R^{33}, and R^{34} are as defined above, followed, optionally, by conversion of any one or more of the groups R^{22}, R^{28}, R^{29}, R^{30}, R^{31}, R^{32}, R^{33}, and R^{34} into new groups R^{22}, R^{28}, R^{29}, R^{30}, R^{31}, R^{32}, R^{33}, and R^{34} by deprotection, coupling, addition, substitution, or elimination, and, if desired, by converting a compound of the general structure XXV into its salt or setting it free from its salt.

Specific representatives of compounds of the general structure XXV include:

3-(4-chlorophenyl)-1,2,3,4-oxatriazolium-5-(4-chlorophenyl)aminide

1,3-di(4-methylphenyl)-1,2,3,4-tetrazolium-5-oxide.

The following examples are intended to illustrate, but not to limit, the invention.

Example 1

Compound 59-0008 was synthesized according to the procedure of McDonald, W. S., *et al. Chem Comm* (1969) 392-393; Irving, H. N. N. H. *et al. Anal Chim Acta* (1970) 49:261-266. Briefly, 10.0 g of dithizone was taken up in 100 ml EtOH and 50 ml AcOH and heated at reflux for 18 h. After cooling, this was diluted first with 100 ml water and then with 50 ml 1N NaOH. This was then further neutralized by the addition of 6 N NaOH to bring the pH to 5.0. This deep purple mixture was then concentrated on a rotavapor to remove organics. Once the liquid had lost all of its purple color, this was filtered to collect the dark precipitate. Purification by flash chromatography (4.5 x 25.7 cm; EtAc/Hep. (1:4); Rf 0.22) followed by recrystalization from EtOH gave 2.15 g (25% yield) of dark

purple crystals, mp=184-185 °C. ^{1}H NMR (CDCl$_3$) 7.90 (d of d, J$_1$=7.7, J$_2$=2.2, 2H),

7.64 (hump, 1H), 7.49 (m, 3H), 7.02 (m, 1H), 6.91 (m, 2H), 6.55 (d, J=8.1, 1H). MS (EI)

254 (47, M+), 105 (26), 77 [100], 51 (27). HRMS (EI, M+) 254.0626 (calcd

254.0626182). Anal. Calcd for C$_{13}$H$_{10}$N$_4$S: C, 61.40; H. 3.96; N. 22.03. Found: C,

5   61.40; H, 4.20; N, 22.06.

Example 2

High Throughput Screening

Several thousand compounds were tested in the assay system set forth in U.S. Serial

10   No. 08/458,434, filed 2 June 1995, and incorporated herein by reference. The standard

positive control was a compound of the invention, 59-0008 (also denoted "OS8"), which is

of the formula:

"OS8"

In more detail, the 2T3-BMP-2-LUC cells, a stably transformed osteoblast cell line

15   described in Ghosh-Choudhury *et al. Endocrinology* (1996) 137:331-39, referenced above,

was employed. The cells were cultured using α-MEM, 10% FCS with 1%

penicillin/streptomycin and 1% glutamine ("plating medium"), and were split 1:5 once per

week. For the assay, the cells were resuspended in a plating medium containing 4% FCS,

plated in microtiter plates at a concentration of 5 x 10^3 cells (in 50 μl)/well, and incubated

20   for 24 hours at 37°C in 5% CO$_2$. To initiate the assay, 50 μl of the test compound or the

control in DMSO was added at 2X concentration to each well, so that the final volume was

100 μl. The final serum concentration was 2% FCS, and the final DMSO concentration

was 1%. Compound 59-0008 (10 μM) was used as a positive control.

The treated cells were incubated for 24 hours at 37°C and 5% CO$_2$. The medium

25   was then removed, and the cells were rinsed three times with PBS. After removal of excess

PBS, 25 μl of 1X cell culture lysing reagent (Promega #E153A) was added to each well

and incubated for at least ten minutes. Optionally, the plates/samples could be frozen at

this point. To each well was added 50 μl of luciferase substrate (Promega #E152A; 10 ml Promega luciferase assay buffer per 7 mg Promega luciferase assay substrate). Luminescence was measured on an automated 96-well luminometer, and was expressed as either picograms of luciferase activity per well or as picograms of luciferase activity per

5   microgram of protein.

In this assay, compound 59-0008 (3-phenylazo-1H-4,1,2-benzothiadiazine) exhibited a pattern of reactivity, as shown in Figure 1. The activity for compound 59-0008 was maximal at a concentration of approximately 3-10 μM and, more particularly, at about 3 μM, and thus provided a response of approximately 175 light emission units.

10   Accordingly, other tested compounds were evaluated at various concentrations, and these results were compared to the results obtained for 59-0008 at 10 μM (which value was normalized to 100). For instance, any tested compound in Figure 2 and Figure 3 that showed greater activity than 10 μM of 59-0008 would result in a value over 100.

As shown in Figure 2 (39 sheets) and Figure 3 (10 sheets), several compounds were

15   found to be particularly effective.

Example 3

In vivo Calvarial Bone Growth Data

Compound 59-0008 was assayed in vivo according to the procedure described

20   previously (see "In vivo Assay of Effects of Compounds on Murine Calvarial Bone Growth", supra). As compared to a vehicle control, compound 59-0008 induced a 4-fold increase in width of new calvarial bone.

Example 4

25

Chondrogenic Activity

Compounds 59-008, 59-0102 and 50-0197 were assayed for effects on the differentiation of cartilage cells, as compared to the action of recombinant human BMP-2. Briefly, a mouse clonal chondrogenic cell line, TMC-23, was isolated and cloned from costal cartilage of transgenic mice containing the BMP-2 gene control region driving SV-

30   40 large T-antigen, generated as described in Ghosh-Choudhury et al Endocrinology 137:331-39, 1996. These cells were cultured in DMEM/10% FCS, and were shown to

express T-antigen, and also to produce aggrecan (toluidine blue staining at pH 1.0) and Type-II collagen (immunostaining) by 7 days after confluence.

For measurement of alkaline phosphatase (ALP) activity, the technique of LF Bonewald *et al. J Biol Chem* (1992) 267:8943-49, was employed. Briefly, TMC-23 cells

5   were plated in 96 well microtiter plates in DMEM containing 10% FCS at 4×10^3 cells/well. Two days after plating, the cells were confluent and the medium was replaced with fresh medium containing 10% FCS and different concentrations of compounds or recombinant BMP-2. After an additional 2 or 5 days incubation, the plates were washed twice with PBS, and then lysing solution (0.05% Triton X-100) was added (100 µl/well).

10   The cells were lysed by three freeze-thaw cycles of -70°C (30 min), followed by 37°C (30 min with shaking). Twenty microliters of cell lysates were assayed with 80 µl of 5 mM p-nitrophenol phosphate in 1.5 M 2-amino-2-methyl-propanol buffer, pH 10.3 (Sigma ALP kit, Sigma Chemical Co., St. Louis, MO) for 10 min at 37°C. The reaction was stopped by the addition of 100 µl of 0.5 M NaOH. The spectrophotometric absorbance at 405 nm was

15   compared to that of p-nitrophenol standards to estimate ALP activity in the samples. The protein content of the cell lysates was determined by the Bio-Rad protein assay kit (Bio-Rad, Hercules, CA). Specific activity was calculated using these two parameters.

At day 2, compounds 59-0008 (10^{-9} M), 59-0102 (10^{-7} M) and 59-0197 (10^{-9} M) increased ALP levels approximately 3-, 2- and 2.5-fold, respectively, as compared to the

20   vehicle control. Recombinant BMP2 at 100, 50 or 10 ng/ml induced ALP levels approximately 10-, 4- or 1.5-fold, respectively, as compared to the vehicle control.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for purposes of illustration, various modifications

25   may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims.

Claims

1.   A method to treat a condition in a vertebrate animal characterized by a
deficiency in, or need for, bone growth replacement and/or an undesirable level of bone
resorption, which method comprises administering to a vertebrate subject in need of such
treatment an effective amount of a compound of the formula:

wherein R^a is a non-interfering substituent;

m is an integer of 0-4;

each dotted line represents an optional π-bond;

each Z is independently N, NR, O, S, CR or CR_2, where each R is independently H

   or alkyl (1-6C);

X is O, S, SO or SO_2;

L is a flexible linker; and

Ar^2 is a substituted or unsubstituted 6-membered aromatic ring.

2.   The method of claim 1 wherein L is a flexible conjugated linker.

3.   The method of claim 1 wherein L is selected from the group consisting of a
covalent bond, -N=N-, -RC=CR-, -RC=N-, -N=CR-, -NRCO-, -CONR-, $-CR_2O-$, and
$-CR_2NR-$ where each R is independently H or alkyl (1-6C).

4.   The method of claim 1 wherein Ar^2 is

where R^b is a non-interfering substituent and n is an integer from 0 to 5.

5.   The method of claim 4 wherein Ar^2 is unsubstituted phenyl.

6.   The method of claim 1 wherein said compound is 59-0008.

5

7.   A pharmaceutical composition for use in a method to treat a condition in a vertebrate animal characterized by a deficiency in, or need for, bone growth replacement and/or an undesirable level of bone resorption,

which composition comprises a pharmaceutically acceptable excipient and an

10   effective amount of a compound of the formula:

$$R^a_m \quad \overset{Z}{\underset{X}{\bigcirc}} \overset{Z}{\underset{L-Ar^2}{Z}}$$

$$Ar^1$$

wherein R^a is a non-interfering substituent;

m is an integer of 0-4;

each dotted line represents an optional π-bond;

15   each Z is independently N, NR, O, S, CR or CR_2, where each R is independently H

or alkyl (1-6C);

X is O, S, SO or SO_2;

L is a flexible linker; and

Ar^2 is a substituted or unsubstituted 6-membered aromatic ring.

20

8.   The composition of claim 7 wherein L is a flexible conjugated linker.

9.   The composition of claim 7 wherein L is selected from the group consisting of a covalent bond, -N=N-, -RC=CR-, -RC=N-, -N=CR-, -NRCO-, -CONR-, $-CR_2O$, and

25     $-CR_2NR-$ where each R is independently H or alkyl (1-6C).

10.   The composition of claim 7 wherein Ar^2 is

$$R^b_n \underset{}{\bigcirc}\!-$$

where R^b is a non-interfering substituent and n is an integer from 0 to 5.

11. The composition of claim 7 wherein Ar^2 is unsubstituted phenyl.

12. The composition of claim 7 wherein said compound is 59-0008.

13. A method to treat a condition in a vertebrate animal characterized by a deficiency in, or need for, bone growth replacement and/or an undesirable level of bone resorption, which method comprises administering to a vertebrate subject in need of such treatment an effective amount of a compound of the formula:

$$R^a_n \underset{}{\bigcirc}\!-L-Ar^2$$

wherein R^a is a non-interfering substituent;

n is an integer of 0 and 5;

L is a flexible linker which does not contain nitrogen; and

Ar^2 is a substituted or unsubstituted phenyl or a substituted or unsubstituted naphthyl.

14. The method of claim 13 wherein R^a is $-NR_2$ or $-COOR$, where R is H or alkyl (1-6C).

15. The method of claim 13 wherein Ar^2 is substituted or unsubstituted phenyl.

16. The method of claim 13 wherein Ar^1 and Ar^2 are different.

17.   A pharmaceutical composition for use in a method to treat a condition in a vertebrate animal characterized by a deficiency in, or need for, bone growth replacement and/or an undesirable level of bone resorption,

which composition comprises a pharmaceutically acceptable excipient and an

5   effective amount of a compound of the formula:

$$R^a_n \diagdown \underset{}{\bigcirc} -L-Ar^2$$

wherein R^a is a non-interfering substituent;

n is an integer of 0 and 5;

10   L is a flexible linker which does not contain nitrogen; and

Ar^2 is a substituted or unsubstituted phenyl or a substituted or unsubstituted naphthyl.

18.   The composition of claim 17 wherein R^a is $-NR_2$ or $-COOR$, where R is H

15   or alkyl (1-6C).

19.   The composition of claim 17 wherein Ar^2 is substituted or unsubstituted phenyl.

20   20.   The composition of claim 17 wherein Ar^1 and Ar^2 are different.

21.   A method to treat a condition in a vertebrate animal characterized by a deficiency in, or need for, bone growth replacement and/or an undesirable level of bone resorption, which method comprises administering to a vertebrate subject in need of such

25   treatment an effective amount of a compound of the formula:

$$R^a_n \diagdown \underset{}{\bigcirc} -L-Ar^2$$

wherein R^a is a non-interfering substituent;

n is an integer of 0 and 5;

L is a constrained linker; and

Ar^2 is a substituted or unsubstituted phenyl or a substituted or unsubstituted

       naphthyl.

22.   The method of claim 21 wherein R^1 is -NR$_2$ or -COOR, where R is H or alkyl (1-6C).

23.   The method of claim 21 wherein Ar^2 is substituted or unsubstituted phenyl.

24.   A pharmaceutical composition for use in a method to treat a condition in a vertebrate animal characterized by a deficiency in, or need for, bone growth replacement and/or an undesirable level of bone resorption,

which composition comprises a pharmaceutically acceptable excipient and an effective amount of a compound of the formula:

wherein R^a is a non-interfering substituent;

n is an integer of 0 and 5;

L is a constrained linker; and

Ar^2 is a substituted or unsubstituted phenyl or a substituted or unsubstituted

       naphthyl.

25.   The composition of claim 24 wherein R^1 is -NR$_2$ or -COOR, where R is H or alkyl (1-6C).

26.   The composition of claim 24 wherein Ar^2 is substituted or unsubstituted phenyl.

27. The method of any of claims 1, 13 or 21 wherein said condition is osteoporosis, bone fracture or deficiency, primary or secondary hyperparathyroidism, periodontal disease or defect, metastatic bone disease, osteolytic bone disease, post-plastic surgery, post-prosthetic joint surgery, or post-dental implantation.

28. The method of any of claims 1, 13 or 21 which further comprises administering to said subject one or more agents that promote bone growth or that inhibit bone resorption.

29. The method of claim 28 wherein said agents are selected from the group consisting of bone morphogenetic factors, anti-resorptive agents, osteogenic factors, cartilage-derived morphogenic proteins, growth hormones, and differentiating factors.

2T3L-C9 CELLS		10/1/96					
5x 10³ Cells/well							
	uM	READ 1	READ 2	AVERAGE	INDUCTION	AVE-BASAL	% MAX
OS-8	100.000	0.21	0.22	0.22	0.18	-0.99	-17.80
	31.250	3.96	4.44	4.20	3.49	3.00	54.26
	9.766	6.99	6.46	6.72	5.59	5.52	100.00
	3.052	4.62	4.88	4.75	3.95	3.55	64.22
	0.954	3.13	3.16	3.14	2.61	1.94	35.12
	0.298	2.75	2.59	2.67	2.22	1.47	26.58
	0.093	2.10	2.04	2.07	1.72	0.87	15.77
	0.029	1.56	1.71	1.63	1.36	0.43	7.80
	0.0091	1.45	1.42	1.44	1.19	0.23	4.21
	0.0028	1.28	1.37	1.33	1.10	0.12	2.25
	0.0000	1.32	1.30	1.31			
	0.0000	1.20	1.00	1.10			
	AVERAGE BASAL			1.20			

OS-8 DOSE RESPONSE

Figure 1

		21.433	69.74
	233.289	4.287	31.59
		0.657	39.70
		0.171	18.29

92-6363

92-6363		155.199 uM	
		31.040	204.14
	322.166	15.520	154.94
		3.104	28.09
		1.552	
		0.310	3.53

92-8007

92-8007		181.613 uM	-16.65
		36.323	58.65
	275.311	18.161	142.33
		3.632	45.65
		1.816	
		0.363	4.47

92-8215

92-8215		165.123 uM	32.90
		33.025	151.08
	302.805	16.512	132.29
		3.302	59.90
		1.651	
		0.330	23.34

Figure 3

Compound			
92-8258			
92-8258		162.102 uM	-16.65
		32.420	157.44
	308.447	16.210	101.04
		3.242	39.02
		1.621	
		0.324	12.78
92-8362			
92-8362		154.647 uM	138.79
		30.929	137.00
	323.318	15.465	65.02
		3.093	17.34
		1.546	
		0.309	0.41
92-8372			
92-8372		150.045 uM	63.78
		30.009	134.71
	333.234	15.004	92.08
		3.001	31.35
		1.500	
		0.300	13.20
92-9183			

850-7377			
850-7377			
	131.062	uM	-50.32
	13.106		69.27
381.498	2.621		116.61
	0.524		61.26
	0.105		35.86
850-7413			
850-7413			
	111.964	uM	-40.44
	11.196		-2.55
446.8721	2.239		157.01
	0.448		78.73
	0.090		23.91
850-7449			
850-7449			
	69.938	uM	-42.42
	6.994		73.79
714.923	1.399		112.16
	0.280		75.24
	0.056		28.36

860-9287

860-9287				
		147.170	uM	-15.82
		14.717		15.82
339.744		2.943		130.71
		0.589		91.11
		0.118		69.08

860-9356

860-9356				
		99.506	uM	-24.650
		9.951		83.140
502.482		1.990		168.810
		0.398		45.470
		0.080		9.740

860-9467

860-9467				
		120.846	uM	-19.800
		12.085		112.990
414.436		2.413		122.730
		0.483		43.520
		0.097		33.140

850-9576		
850-9576		
	111.724	uM
	11.172	
447.632	2.234	
	0.447	
	0.089	

	-27.430
	90.880
	101.610
	44.900
	19.930

895-0262		
895-0262		
	166.019	uM
	33.204	
301.169	16.602	
	3.320	
	0.332	

	-19.18
	-12.60
	146.26
	-2.23
	-3.07

895-0268		
895-0268		
	128.383	uM
	25.677	
369.468	12.838	
	2.568	
	0.257	

	-16.87
	40.25
	169.96
	195.29
	14.02

895-0594		
895-0594		
	120.896	uM
	12.090	
413.58	2.418	
	0.484	
	0.097	

	-21.63
	25.89
	122.10
	75.32
	39.42

895-0657		
895-0657		
	159.028	uM
	15.903	
314.407	3.181	
	0.636	
	0.127	

	30.48
	148.74
	74.64
	25.82
	3.68

895-0984		
895-0984		
	162.655	uM
	16.265	
307.393	3.253	
	0.651	
	0.130	

	31.08
	325.06
	87.51
	40.39
	16.03

895-1161		
895-1161	152.625|uM	-5.51
	15.263|	109.31
327.602|	3.053|	58.06
	0.611|	29.49
	0.122|	24.71
895-1420		
895-1420	220.965|uM	-19.47
	22.097|	110.90
226.279|	4.419|	49.94
	0.884|	33.85
	0.177|	20.06
895-1679		
895-1679	180.910|uM	-30.36
	18.091|	111.72
276.363|	3.618|	102.83
	0.724|	18.01
	0.145|	0.44
895-1691		
895-1691	182.922|uM	-16.29
	18.292|	50.84
273.34|	3.658|	105.70

895-3846

895-3846			
		193.267	uM	-21.41
		9.327	13.40
	258.708	3.885	114.46
		0.773	52.12
		0.155	39.29

895-4642

895-4642			
		176.473	uM	6.97
		17.647	283.99
	283.331	3.529	447.51
		0.706	304.86
		0.141	100.46

895-4843

895-4843			
		159.581	uM	-17.18
		15.958	24.54
	313.312	3.192	100.12
		0.638	60.37
		0.128	27.85

895-5185

895-5185			
		162.433	uM	-6.47
		16.243	213.42
	307.821	3.249	107.83
		0.650	46.75
		0.130	18.27

895-8862

	165.876 uM	54.72
	16.588	159.21
301.43	3.318	113.97
	0.684	41.98
	0.133	39.28

895-0883

	113.552 uM	-20.87
	11.355	201.56
440.326	2.271	12.55
	0.454	0.82
	0.091	-0.69

895-0908

	178.349 uM	-29.16
	17.835	0.82
280.349	3.567	182.84
	0.713	118.55
	0.143	42.75

	464.9791	2.151
	—	0.430
	—	0.086

	188.94
	108.12
	37.18

898-0390

898-0390		123.718 uM	
		12.872	
	363.445	2.574	
		0.515	
		0.103	

-16.80
87.23
210.25
73.35
28.25

898-0535

898-0535		132.810 uM	
		13.281	
	376.478	2.656	
		0.531	
		0.106	

-10.41
73.84
199.80
102.12
35.72

898-0554

898-0554		121.499 uM	
		12.150	
	411.527	2.430	
		0.486	
		0.097	

-16.32
105.48
115.43
53.88
27.03

NNC#	MOL.WEIGHT	Concentration		% Response	
50-0194	430.33				
50-0194		100.00	uM	-19.190	
		31.25	uM	32.450	
		9.77	uM	-14.240	
		3.05	uM	-11.330	
		953.67	nM	-12.790	
		298.02	nM	-13.450	
		93.13	nM	-12.290	
		29.10	nM	-9.440	
		9.09	nM	-6.450	
		2.84	nM	-8.130	
		888.18	pM	-3.320	
50-0195	275.36				
50-0195		100.00	uM	-4.630	
		31.25	uM	16.790	
		9.77	uM	62.830	
		3.05	uM	102.720	
		953.67	nM	60.860	
		298.02	nM	32.450	
		93.13	nM	19.340	
		29.10	nM	17.220	
		9.09	nM	5.640	
		2.84	nM	4.840	
		888.18	pM	5.640	
50-0196	276.30				
50-0196		100.00	uM	-16.210	
		31.25	uM	-8.560	
		9.77	uM	11.620	
		3.05	uM	27.790	
		953.67	nM	18.390	
		298.02	nM	6.230	
		93.13	nM	12.420	
		29.10	nM	12.630	
		9.09	nM	6.590	
		2.84	nM	7.970	
		888.18	pM	5.060	

Figure 2

50-0197	274.37			
50-0197			100.00 uM	-18.250
			31.25 uM	-14.980
			9.77 uM	4.040
			3.05 uM	93.790
			953.67 nM	205.530
			298.02 nM	242.920
			93.13 nM	195.690
			29.10 nM	115.320
			9.09 nM	85.630
			2.84 nM	54.380
			888.18 pM	33.180
59-0008	254.32			
59-0019		59-0019		
59-0019			100.00 uM	-22.240
			31.25 uM	-22.670
			9.77 uM	-17.470
			3.05 uM	74.490
			953.67 nM	198.080
			298.02 nM	258.340
			93.13 nM	225.350
			29.10 nM	75.220
			9.09 nM	24.030
			2.84 nM	34.480
			888.18 pM	-3.740
59-0020	266.73			
59-0020			100.00 uM	-16.510
			31.25 uM	-16.040
			9.77 uM	-0.270
			3.05 uM	96.490
			953.67 nM	153.320
			298.02 nM	110.240
			93.13 nM	60.030.

		29.10	nM	37.870
		9.09	nM	24.820
		2.84	nM	20.500
		888.18	pM	13.310

59-0021		264.72		
59-0021			100.00 uM	-16.310
			31.25 uM	-12.850
			9.77 uM	84.130
			3.05 uM	89.940
			953.67 nM	65.750
			298.02 nM	33.940
			93.13 nM	22.560
			29.10 nM	25.020
			9.09 nM	13.910
			2.84 nM	33.270
			888.18 pM	15.500

59-0022		266.37		
59-0022			100.00 uM	7.250
			31.25 uM	-2.070
			9.77 uM	-0.270
			3.05 uM	4.390
			953.67 nM	3.060
			298.02 nM	-1.800
			93.13 nM	-0.200
			29.10 nM	-3.270
			9.09 nM	1.130
			2.84 nM	2.590
			888.18 pM	2.460

59-0023		239.28		
59-0023			100.00 uM	-12.720
			31.25 uM	33.140
			9.77 uM	56.500
			3.05 uM	29.550
			953.67 nM	25.360
			298.02 nM	15.700
			93.13 nM	7.380
			29.10 nM	9.710
			9.09 nM	1.000
			2.84 nM	4.520
			888.18 pM	-0.010

59-0024	220.28			
59-0025	224.31			
59-0025		100.00 uM	-25.590	
		31.25 uM	14.150	
		9.77 uM	50.690	
		3.05 uM	57.880	
		953.67 nM	38.900	
		298.02 nM	28.530	
		93.13 nM	19.660	
		29.10 nM	17.490	
		9.09 nM	-0.600	
		2.84 nM	-4.190	
		888.18 pM	4.670	
59-0026	248.29			
59-0026		100.00 uM	-29.830	
		31.25 uM	-9.440	
		9.77 uM	-10.470	
		3.05 uM	46.220	
		953.67 nM	107.760	
		298.02 nM	86.720	
		93.13 nM	36.850	
		29.10 nM	26.720	
		9.09 nM	8.520	
		2.84 nM	-1.240	
		888.18 pM	4.020	

59-0027				
59-0027	250.30			
		100.00|uM	89.810|
		31.25|uM	54.670|
		9.77|uM	44.940|
		3.05|uM	23.780|
		953.67|nM	8.380|
		298.02|nM	6.330|
		93.13|nM	7.360|
		29.10|nM	3.380|
		9.09|nM	-1.620|
		2.84|nM	-3.670|
		888.18|pM	-0.720|

59-0028				
59-0028	226.28			
		100.00|uM	-26.750|
		31.25|uM	-16.740|
		9.77|uM	29.550|
		3.05|uM	100.580|
		953.67|nM	54.940|
		298.02|nM	31.340|
		93.13|nM	7.500|
		29.10|nM	7.500|
		9.09|nM	7.880|
		2.84|nM	3.140|
		888.18|pM	4.670|

59-0029	249.27		
59-0029		100.00 uM	-15.160
		31.25 uM	41.940
		9.77 uM	36.630
		3.05 uM	7.120
		953.67 nM	21.880
		298.02 nM	15.540
		93.13 nM	1.810
		29.10 nM	1.370
		9.09 nM	12.140
		2.84 nM	-4.230
		888.18 pM	9.040
59-0030	233.28		
59-0030		100.00 uM	-27.970
		31.25 uM	-22.830
		9.77 uM	-5.420
		3.05 uM	57.280
		953.67 nM	72.620
		298.02 nM	53.000
		93.13 nM	29.990
		29.10 nM	14.630
		9.09 nM	3.870
		2.84 nM	6.970
		888.18 pM	1.810
59-0031	231.30		
59-0031		100.00 uM	-25.790
		31.25 uM	-17.810
		9.77 uM	20.840
		3.05 uM	87.380
		953.67 nM	49.320
		298.02 nM	43.110
		93.13 nM	29.530
		29.10 nM	1.810
		9.09 nM	1.220
		2.84 nM	-0.550
		888.18 pM	4 160

59-0032		248.29		
59-0032			100.00|uM	-7.780|
			31.25|uM	40.750|
			9.77|uM	42.820|
			3.05|uM	25.700|
			953.67|nM	31.170|
			298.02|nM	34.410|
			93.13|nM	3.570|
			29.10|nM	4.320|
			9.09|nM	-10.000|
			2.84|nM	5.650|
			888.18|pM	11.990|

59-0033		248.29		
59-0033			100.00|uM	-28.180|
			31.25|uM	-11.590|
			9.77|uM	55.300|
			3.05|uM	49.710|
			953.67|nM	47.410|
			298.02|nM	0.250|
			93.13|nM	7.980|
			29.10|nM	-8.940|
			9.09|nM	-7.630|
			2.84|nM	-0.400|
			888.18|pM	-5.980|

59-0034		268.34		
59-0034			100.00|uM	-28.51|
			31.25|uM	24|
			9.77|uM	73.58|
			3.05|uM	37.91|
			953.67|nM	20.09|
			298.02|nM	16.87|
			93.13|nM	15.23|
			29.10|nM	28.83|
			9.09|nM	9.08|
			2.84|nM	23.02|
			888.18|pM	-0.32|

59-0035

	291.36	

59-0035		
	100.00 uM	-14.92
	31.25 uM	29.17
	9.77 uM	15.87
	3.05 uM	18.8
	953.67 nM	3.88
	298.02 nM	6.15
	93.13 nM	3.22
	29.10 nM	-10.03
	9.09 nM	15.58
	2.84 nM	-3.56
	888.18 pM	-7.13

59-0036

	262.31	

59-0036		
	100.00 uM	-0.98
	31.25 uM	-3.25
	9.77 uM	-4.54
	3.05 uM	-1.95
	953.67 nM	0.32
	298.02 nM	-6.49
	93.13 nM	-17.19
	29.10 nM	-0.66
	9.09 nM	-5.52
	2.84 nM	-9.4
	888.18 pM	-16.53

59-0037

	308.00	

59-0037		
	100.00 uM	-10.69
	31.25 uM	-11.99
	9.77 uM	-10.03
	3.05 uM	-19.11
	953.67 nM	-9.4
	298.02 nM	2.27
	93.13 nM	-2.9
	29.10 nM	-10.69
	9.09 nM	2.59
	2.84 nM	0.66
	888.18 pM	-2.59

59-0038		291.36		
59-0038		100.00 uM		-23.430
		31.25 uM		-8.390
		9.77 uM		-0.100
		3.05 uM		-2.880
		953.67 nM		-2.240
		298.02 nM		3.900
		93.13 nM		8.350
		29.10 nM		1.150
		9.09 nM		8.960
		2.84 nM		-4.390
		888.18 pM		-0.380
59-0039		312.35		
59-0039		100.00 uM		14.170
		31.25 uM		7.620
		9.77 uM		1.940
		3.05 uM		-3.140
		953.67 nM		-7.770
		298.02 nM		-5.980
		93.13 nM		-8.820
		29.10 nM		-2.390
		9.09 nM		-16.580
		2.84 nM		-4.480
		888.18 pM		-0.450
59-0040		290.37		
59-0040		100.00 uM		-20.400
		31.25 uM		-17.310
		9.77 uM		-8.110
		3.05 uM		32.180
		953.67 nM		36.180
		298.02 nM		17.440
		93.13 nM		2.040
		29.10 nM		10.350
		9.09 nM		-8.070
		2.84 nM		6.960
		888.18 pM		13.440

| 59-0041 | | | 501.90 | | | | |

59-0041				100.00 uM		-18.37
				31.25 uM		-17.33
				9.77 uM		-5.11
				3.05 uM		3.31
				953.67 nM		-0.77
				298.02 nM		-1.56
				93.13 nM		3.55
				29.10 nM		-11.24
				9.09 nM		0.25
				2.84 nM		-0.27
				888.18 pM		2.02

| 59-0042 | | | 281.36 | | | | |

59-0042				100.00 uM		163.51
				31.25 uM		-7.67
				9.77 uM		9.41
				3.05 uM		0.75
				953.67 nM		6.11
				298.02 nM		3.82
				93.13 nM		2.54
				29.10 nM		4.07
				9.09 nM		-9.73
				2.84 nM		-0.02
				888.18 pM		18.37

| 59-0043 | | | 280.29 | | | | |

59-0043				100.00 uM		20.66
				31.25 uM		7.4
				9.77 uM		-1.29
				3.05 uM		-2.31
				953.67 nM		1.54
				298.02 nM		-0.79
				93.13 nM		1.52
				29.10 nM		2.79
				9.09 nM		-0.27
				2.84 nM		8.92
				888.18 pM		-4.34

59-0044		341.21			
59-0044			100.00 uM	7.38	
			31.25 uM	11.72	
			9.77 uM	12.49	
			3.05 uM	-0.52	
			953.67 nM	0.5	
			298.02 nM	6.11	
			93.13 nM	-1.64	
			29.10 nM	19.14	
			9.09 nM	7.13	
			2.84 nM	-2.06	
			888.18 pM	5.84	

59-0045		283.33			
59-0045			100.00 uM	52.37	64.460
			31.25 uM	148.43	192.980
			9 77 uM	204.47	422.540
			3.05 uM	280.3	437.020
			953.67 nM	254.82	410.890
			298.02 nM	218.21	268.090
			93.13 nM	196.98	183.730
			29.10 nM	96.06	80.440
			9.09 nM	67.35	55.530
			2.84 nM	52.99	44 160

59-0046		389.37			
59-0046			100.00 uM	79.33	
			31.25 uM	2.24	
			9.77 uM	-1.67	
			3.05 uM	-6.18	
			953.67 nM	0.001	
			298.02 nM	-3.63	
			93.13 nM	-0.84	
			29.10 nM	-8.42	
			9.09 nM	3.92	
			2.84 nM	0.3	
			888 18 pM	5.61	

59-0047			303.37					
59-0047					100.00	uM		-6.73
					31.25	uM		10.38
					9.77	uM		-6.16
					3.05	uM		-1.39
					953.67	nM		-10.11
					298.02	nM		-4.49
					93.13	nM		-7.28
					29.10	nM		-12.34
					9.09	nM		-3.06
					2.84	nM		-2.26
					888.18	pM		-5.34
59-0048			384.50					
59-0048					100.00	uM		-6.73
					31.25	uM		0.27
					9.77	uM		-5.61
					3.05	uM		-2.26
					953.67	nM		-12.89
					298.02	nM		-1.69
					93.13	nM		-4.77
					29.10	nM		-8.14
					9.09	nM		-3.92
					2.84	nM		-11.2
					888.18	pM		-4.77
59-0049			251.29					
59-0049					100.00	uM		4.49
					31.25	uM		0
					9.77	uM		-4.77
					3.05	uM		1.96
					953.67	nM		8.69
					298.02	nM		-5.04
					93.13	nM		-2.24
					29.10	nM		1.69
					9.09	nM		-4.49
					2.84	nM		2.24
					888.18	pM		-0.3

59-0050	303.36		
59-0050		100.00 uM	45.79
		31.25 uM	10.02
		9.77 uM	11.29
		3.05 uM	-4.68
		953.67 nM	-6.92
		298.02 nM	-5.65
		93.13 nM	1.69
		29.10 nM	-7.57
		9.09 nM	-12.05
		2.84 nM	-13.63
		888.18 pM	5.2
59-0051	251.35		
59-0051		100.00 uM	32.36
		31.25 uM	-18.42
		9.77 uM	-0.55
		3.05 uM	-13.94
		953.67 nM	-12.02
		298.02 nM	-14.59
		93.13 nM	-7.55
		29.10 nM	-11.4
		9.09 nM	-14.91
		2.84 nM	-10.74
		888.18 pM	-20.03

59-0052		393.28			
59-0052			100.00 uM		-21.62
			31.25 uM		-13.32
			9.77 uM		-21.31
			3.05 uM		-11.08
			953.67 nM		-20.68
			298.02 nM		-17.14
			93.13 nM		-16.49
			29.10 nM		-11.4
			9.09 nM		-10.74
			2.84 nM		-11.08
			888.18 pM		-14.59

59-0053		354.41			
59-0053			100.00 uM		-17.14
			31.25 uM		-21.31
			9.77 uM		-9.47
			3.05 uM		-11.08
			953.67 nM		-0.83
			298.02 nM		-11.4
			93.13 nM		-9.47
			29.10 nM		-19.72
			9.09 nM		-18.45
			2.84 nM		-10.09
			888.18 pM		-2.76

59-0054		238.28		
59-0054			100.00 uM	-20.04
			31.25 uM	-6.95
			9.77 uM	8.3
			3.05 uM	-3.37
			953.67 nM	-2.4
			298.02 nM	-0.99
			93.13 nM	-0.99
			29.10 nM	-1.84
			9.09 nM	5.92
			2.84 nM	-2.17
			888.18 pM	-9.31

59-0055		425.51		
59-0055			100.00 uM	-13.76
			31.25 uM	-9.51
			9.77 uM	-2.02
			3.05 uM	3.24
			953.67 nM	-6.27
			298.02 nM	-4.05
			93.13 nM	-1.62
			29.10 nM	-7.49
			9.09 nM	-7.09
			2.84 nM	-3.04

59-0056		512.34		
59-0056			100.00 uM	-1.42
			31.25 uM	-4.87
			9.77 uM	0.18
			3.05 uM	3.84
			953.67 nM	-5.07
			298.02 nM	-7.29
			93.13 nM	0.001
			29.10 nM	-4.25
			9.09 nM	-1.02
			2.84 nM	-3.85

	9.09 nM	8.070:
	2.84 nM	0.440:

59-0063

59-0063	100.00 uM	-2.510
	31.25 uM	-6.130
	9.77 uM	-8.950
	3.05 uM	-8.020
	953.67 nM	-8.010
	298.02 nM	-2.520
	93.13 nM	-5.810
	29.10 nM	-3.450
	9.09 nM	-4.390
	2.84 nM	-6.280

59-0064

59-0064	100.00 uM	-23.090
	31.25 uM	-21.040
	9.77 uM	78.400
	3.05 uM	155.220
	953.67 nM	113.120
	298.02 nM	30.640
	93.13 nM	15.240
	29.10 nM	22.150
	9.09 nM	-0.770
	2.84 nM	4.410

59-0065

59-0065	100.00 uM	-2.030
	31.25 uM	-2.980
	9.77 uM	-15.240
	3.05 uM	-15.400
	953.67 nM	-15.240
	298.02 nM	-10.520
	93.13 nM	-13.830
	29.10 nM	-5.810
	9.09 nM	-3.620
	2.84 nM	-7.070

59-0066

59-0066		100.00 uM		10.060	
		31.25 uM		2.680	
		9 77 uM		10.850	
		3.05 uM		14.610	
		953.67 nM		0.950	
		298.02 nM		3.780	
		93.13 nM		1.730	
		29.10 nM		-2.820	
		9.09 nM		-2.820	
		2.84 nM		-3.920	

59-0067

59-0067		100.00 uM		-24.040	
		31.25 uM		-24.890	
		9.77 uM		-1.450	
		3.05 uM		60.900	
		953.67 nM		133.860	
		298.02 nM		75.330	
		93.13 nM		28.760	
		29.10 nM		20.070	
		9.09 nM		4 980	
		2.84 nM		4 450	

59-0068

59-0068		100.00 uM		-22.130	
		31.25 uM		-7.880	
		9.77 uM		93.900	
		3.05 uM		81.060	
		953.67 nM		22.330	
		298.02 nM		17.300	
		93.13 nM		8.460	
		29 10 nM		-3.530	
		9 09 nM		-4.230	
		2 84 nM		--6.140	

59-0069

	59-0069				
	100.00 uM	5.490			
	31.25 uM	9.670			
	9.77 uM	16.090			
	3.05 uM	-7.180			
	953.67 nM	-2.840			
	298.02 nM	-3.710			
	93.13 nM	-11.180			
	29.10 nM	-5.790			
	9.09 nM	-7.180			
	2.84 nM	-4.750			

59-0070

	59-0070				
	100.00 uM	-25.930			
	31.25 uM	-23.000			
	9.77 uM	36.060			
	3.05 uM	214.280			
	953.67 nM	158.530			
	298.02 nM	72.890			
	93.13 nM	20.940			
	29.10 nM	7.760			
	9.09 nM	7.590			
	2.84 nM	-8.400			

59-0071

	59-0071				
	100.00 uM	-18.650			
	31.25 uM	-15.540			
	9.77 uM	17.060			
	3.05 uM	176.090			
	953.67 nM	76.070			
	298.02 nM	31.260			
	93.13 nM	16.410			
	29.10 nM	4.870			
	9.09 nM	-7.330			
	2.84 nM	—4.660			

59-0072			
59-0072		100.00 uM	-19.750
		31.25 uM	-18.650
		9.77 uM	-18.430
		3.05 uM	-15.770
		953.67 nM	9.970
		298.02 nM	74.740
		93.13 nM	175.430
		29.10 nM	213.580
		9.09 nM	164.320
		2.84 nM	119.100
		888.18 pM	60.770

59-0073			
59-0073		100.00 uM	-3.010
		31.25 uM	-4.830
		9.77 uM	-9.660
		3.05 uM	-4.680
		953.67 nM	-6.500
		298.02 nM	-2.510
		93.13 nM	7.140
		29.10 nM	0.97
		9.09 nM	-5.5
		2.84 nM	5.3

59-0074			
59-0074		100.00 uM	-2.85
		31.25 uM	2.14
		9.77 uM	-4.85
		3.05 uM	-3.5
		953.67 nM	-4.85
		298.02 nM	9.95
		93.13 nM	4.47
		29.10 nM	-8
		9.09 nM	-4.17
		2.84 nM	6.97

59-0075			
59-0075		100.00|uM	-0.68
		31.25|uM	-10.16
		9.77|uM	-5.35
		3.05|uM	-6.5
		953.67|nM	-0.85
		298.02|nM	5.97
		93.13|nM	0.97
		29.10|nM	-2.35
		9.09|nM	0.32
		2.84|nM	10.47
59-0076			
59-0076		100.00|uM	-19.12
		31.25|uM	9.29
		9.77|uM	10.63
		3.05|uM	22.43
		953.67|nM	19.93
		298.02|nM	3.47
		93.13|nM	19.93
		29.10|nM	10.63
		9.09|nM	14.28
		2.84|nM	11.3
59-0077			
59-0077		100.00|uM	-20.96
		31.25|uM	-16.23
		9.77|uM	-10.58
		3.05|uM	-11.96
		953.67|nM	-19.44
		298.02|nM	-17.3
		93.13|nM	-13.79
		29.10|nM	-15.62
		9.09|nM	-14.09
		2.84|nM	-14.4

59-0078

100.00 uM	-26.540
31.25 uM	-22.560
9.77 uM	71.530
3.05 uM	207.960
953.67 nM	379.230
298.02 nM	241.460
93.13 nM	138.100
29.10 nM	84.020
9.09 nM	50.350
2.84 nM	56.600
0.50 nM	92.520

59-0079

59-0079		
100.00 uM	-34.980
31.25 uM	-21.390
9.77 uM	37.200
3.05 uM	122.580
953.67 nM	69.010
298.02 nM	64.000
93.13 nM	46.490
29.10 nM	30.310
9.09 nM	33.490
2.84 nM	29.760

59-0080

59-0080		
100.00 uM	5.390
31.25 uM	5.560
9.77 uM	6.440
3.05 uM	2.440
953.67 nM	-5.030
298.02 nM	7.660
93.13 nM	-3.630
29.10 nM	3.650
9.09 nM	1.050
2.84 nM	6.940

—

59-0081

59-0081		100.00 uM	62.840
		31.25 uM	11.300
		9.77 uM	-8.670
		3.05 uM	2.440
		953.67 nM	-5.200
		298.02 nM	-2.080
		93.13 nM	1.220
		29.10 nM	-2.250
		9.09 nM	1.050
		2.84 nM	-3.300

59-0082			
59-0082		100.00 uM	111.79
		31.25 uM	62.68
		9.77 uM	32.36
		3.05 uM	9.11
		953.67 nM	-10.62
		298.02 nM	-1.86
		93.13 nM	-6.89
		29.10 nM	-3.91
		9.09 nM	2.22
		2.84 nM	16.36

59-0083			
59-0083		100.00 uM	48.93
		31.25 uM	40.91
		9.77 uM	25.85
		3.05 uM	17.85
		953.67 nM	8.55
		298.02 nM	3.9
		93.13 nM	2.05
		29.10 nM	7.99
		9.09 nM	-3.91
		2.84 nM	3.35

59-0084			
59-0084		100.00 uM	37.670
		31.25 uM	26.050
		9.77 uM	9.210
		3.05 uM	10.070

		953.67 nM	21.700
		298.02 nM	5.900
		93.13 nM	4.870
		29.10 nM	-10.920
		9.09 nM	10.080
		2.84 nM	-2.080

59-0085

59-0085		
	100.00 uM	17.070
	31.25 uM	41.690
	9.77 uM	18.500
	3.05 uM	20.340
	953.67 nM	22.490
	298.02 nM	8.090
	93.13 nM	11.780
	29.10 nM	1.240
	9.09 nM	-0.760
	2.84 nM	5.940

59-0086

59-0086		
	100.00 uM	30.750
	31.25 uM	31.190
	9.77 uM	14.790
	3.05 uM	13.500
	953.67 nM	14.080
	298.02 nM	3.940
	93.13 nM	9.370
	29.10 nM	-2.610
	9.09 nM	-5.040
	2.84 nM	1.530

59-0087

59-0087		
	100.00 uM	10.660
	31.25 uM	11.080
	9.77 uM	3.100
	3.05 uM	-1.320
	953.67 nM	17.070
	298.02 nM	7.950
	93.13 nM	-4.460
	29.10 nM	4.510
	9.09 nM	-0.470
	2.84 nM	9.660

59-0088

59-0088			
	100.00 uM		
	31.25 uM		
	9.77 uM		
	3.05 uM		
	953.67 nM		
	298.02 nM		
	93.13 nM		
	29.10 nM		
	9.09 nM		
	2.84 nM		

59-0089

59-0089		
100.00 uM		60.09
31.25 uM		116.25
9.77 uM		65.84
3.05 uM		36.1
953.67 nM		37.96
298.02 nM		18.42
93.13 nM		6.33
29.10 nM		13.58
9.09 nM		0.75
2.84 nM		-5.77

59-0090

59-0090		
100.00 uM		32.77
31.25 uM		24.63
9.77 uM		19.5
3.05 uM		41.31
953.67 nM		9.8
298.02 nM		-1.76
93.13 nM		3.53
29.10 nM		2.95
9.09 nM		2.95
2.84 nM		7.8

59-0091

59-0091		
100.00 uM		0.26
31.25 uM		13.54

	9.77 uM	95.94	
	3.05 uM	87.71	
	953.67 nM	44.17	
	298.02 nM	38.26	
	93.13 nM	23.87	
	29.10 nM	21.65	
	9.09 nM	10.95	
	2.84 nM	20.92	

59-0092

59-0092	100.00 uM	-11.56	
	31.25 uM	17.84	
	9.77 uM	50.19	
	3.05 uM	25.84	
	953.67 nM	14.4	
	298.02 nM	6.77	
	93.13 nM	8.62	
	29.10 nM	2.22	
	9.09 nM	6.38	
	2.84 nM	1	

59-0093

59-0093	100.00 uM	-11.67	
	31.25 uM	15.02	
	9.77 uM	35.44	
	3.05 uM	29.89	
	953.67 nM	22.88	
	298.02 nM	19.56	
	93.13 nM	5.18	
	29.10 nM	7.39	
	9.09 nM	4.56	
	2.84 nM	5.9	

59-0094

59-0094	100.00 uM	-17.69	
	31.25 uM	45.15	
	9.77 uM	24.97	
	3.05 uM	19.61	
	953.67 nM	9.35	
	298.02 nM	1.36	
	93.13 nM	9.24	
	29.10 nM	-0.48	
	9.09 nM	6.16	
	2.84 nM	1.61	

		93.13 nM	10.68
		29.10 nM	5.89
		9.09 nM	5.45
—		2.84 nM	10.24
		0.80 nM	4.14

59-0111   152.15

		100.00 uM	23.360
		31.25 uM	22.330
		9.77 uM	12.260
		3.05 uM	5.390
		953.67 nM	2.190
		298.02 nM	1.230
		93.13 nM	2.430
		29.10 nM	6.350
		9.09 nM	4.350
		2.84 nM	4.350
		0.80 nM	3.230

59-0112   149.19

		100.00 uM	2.670
		31.25 uM	4.670
		9.77 uM	2.750
		3.05 uM	3.790
		953.67 nM	4.270
		298.02 nM	1.150
		93.13 nM	9.630
		29.10 nM	0.920
		9.09 nM	0.510
		2.84 nM	12.900
		0.80 nM	2.990

59-0113   274.37

		100.00 uM	22.010
		31.25 uM	25.940
		9.77 uM	7.500
		3.05 uM	3.070
		953.67 nM	-0.760
		298.02 nM	-4.690
		93.13 nM	-4.790
		29.10 nM	5.090
		9.09 nM	0.150
		2.84 nM	-0.250
		0.80 nM	0.150

59-0114   475.54

100.00	uM	52.030
31.25	uM	36.120
9.77	uM	25.840
3.05	uM	16.670
953.67	nM	12.540
298.02	nM	9.420
93.13	nM	-1.060
29.10	nM	2.160
9.09	nM	-6.000
2.84	nM	2.470
0.80	nM	-1.460

59-0115   318.87

100.00	uM	73.700
31.25	uM	2.770
9.77	uM	-10.430
3.05	uM	-12.340
953.67	nM	-13.750
298.02	nM	-13.960
93.13	nM	-11.940
29.10	nM	-9.830
9.09	nM	-8.820
2.84	nM	-0.950
0.80	nM	-0.050

59-0116   269.30

100.00	uM	31.380
31.25	uM	109.060
9.77	uM	231.070
3.05	uM	240.670
953.67	nM	132.020
298.02	nM	75.820
93.13	nM	53.250
29.10	nM	47.500
9.09	nM	39.440
2.84	nM	42.170
0.80	nM	31.180

59-0117   268.38   —

100.00	uM	-68.520

	31.25 uM		-7.450
	9.77 uM		111.630
	3.05 uM		64.340
	953.67 nM		4.740
	298.02 nM		-19.270
	93.13 nM		-28.860
	29.10 nM		-28.880
	9.09 nM		-42.180
	2.84 nM		-41.300
	0.80 nM		-39.220

59-0118   313.36

	100.00 uM		-67.170
	31.25 uM		-56.580
	9.77 uM		-58.060
	3.05 uM		-55.720
	953.67 nM		-48.200
	298.02 nM		-50.300
	93.13 nM		-33.310
	29.10 nM		-47.340
	9.09 nM		-49.310
	2.84 nM		-56.200
	0.80 nM		-57.310

59-0119   314.34

	100.00 uM		167.500
	31.25 uM		-29.240
	9.77 uM		-57.800
	3.05 uM		-52.030
	953.67 nM		-54.240
	298.02 nM		-53.870
	93.13 nM		-38.110
	29.10 nM		-55.100
	9.09 nM		-52.270
	2.84 nM		-53.500
	0.80 nM		-43.650

59-0120   504.49

	100.00 uM		-82.790
	31.25 uM		-80.470
	9.77 uM		-66.800
	3.05 uM		-60.790
	953.67 nM		-54.240
	298.02 nM		-45.250
	93.13 nM		-50.660

	2.84 nM	6.27	
	0.80 nM	3.55	

59-0146	248.27		
	100.00 uM	-63.05	
	31.25 uM	4.42	
	9.77 uM	-13.73	
	3.05 uM	-16.45	
	953.67 nM	-35.47	
	298.02 nM	-51.25	
	93.13 nM	-50.13	
	29.10 nM	-42.92	
	9.09 nM	-45.64	
	2.84 nM	-56.58	
	0.80 nM	-39.68	

59-0147	314.36		
	100.00 uM	-85	
	31.25 uM	-85	
	9.77 uM	-80.29	
	3.05 uM	-41.67	
	953.67 nM	78.69	
	298.02 nM	269.13	
	93.13 nM	323.59	
	29.10 nM	339.88	
	9.09 nM	270.48	
	2.84 nM	245.58	
	0.80 nM	180.33	

59-0148	291.35		
	100.00 uM	-68.38	
	31.25 uM	-36.33	
	9.77 uM	-2.3	
	3.05 uM	12.12	
	953.67 nM	-2.42	
	298.02 nM	-16.21	
	93.13 nM	-30.87	
	29.10 nM	-35.58	
	9.09 nM	-39.07	
	2.84 nM	-41.18	
	0.80 nM	-45.53	

59-0149		329.33					
			100.00|uM		-16.9|		
			31.25|uM		-1.8|		
			9.77|uM		-0.53|		
			3.05|uM		15.29|		
			953.67|nM		78.78|		
			298.02|nM		163.5|		
			93.13|nM		223.57|		
			29.10|nM		173.93|		
			9.09|nM		122.3|		
			2.84|nM		98.02|		
			0.80|nM		69.06|		
59-0150		304.39|					
			100.00|uM		63.32|		
			31.25|uM		193.53|		
			9.77|uM		419.26|		
			3.05|uM		497.21|		
			953.67|nM		295.19|		
			298.02|nM		193.35|		
			93.13|nM		99.46|		
			29.10|nM		69.96|		
			9.09|nM		59|		
			2.84|nM		52.16|		
			0.80|nM		48.75|		
59-0151		278.311|					
59-0151			100.00|uM		-6.660|		
			31.25|uM		16.240|		
			9.77|uM		18.300|		
			3.05|uM		11.690|		
			953.67|nM		8.500|		
			298.02|nM		9.070|		
			93.13|nM		6.110|		
			29.10|nM		5.880|		
			9.09|nM		7.700|		
			2.84|nM		2.000|		
			0.80|nM		1.210|		

59-0152	256.275		
59-0152		100.00 uM	-6.890
		31.25 uM	12.490
		9.77 uM	21.950
		3.05 uM	12.820
		953.67 nM	7.350
		298.02 nM	4.290
		93.13 nM	9.750
		29.10 nM	4.860
		9.09 nM	1.320
		2.84 nM	4.280
		0.80 nM	4.160

59-0153	282.73		
59-0153		100.00 uM	-4.150
		31.25 uM	-0.390
		9.77 uM	11.120
		3.05 uM	14.540
		953.67 nM	9.520
		298.02 nM	11.570
		93.13 nM	-0.160
		29.10 nM	1.550
		9.09 nM	-0.960
		2.84 nM	4.730
		0.80 nM	5.650

59-0154	262.312		
59-0154		100.00 uM	0.290
		31.25 uM	24.670
		9.77 uM	15.680
		3.05 uM	14.540
		953.67 nM	13.170
		298.02 nM	5.540
		93.13 nM	2.690
		29.10 nM	-1.190
		9.09 nM	2.460
		2.84 nM	4.170
		0.80 nM	1.890

59-0155	316.282			
59-0155		100.00 uM	-2.950	
		31.25 uM	1.900	
		9.77 uM	-9.450	
		3.05 uM	-0.220	
		953.67 nM	0.690	
		298.02 nM	5.090	
		93.13 nM	-3.250	
		29.10 nM	0.530	
		9.09 nM	-1.900	
		2.84 nM	9.480	
		0.80 nM	-1.130	

59-0156	333.391			
59-0156		100.00 uM	5.840	
		31.25 uM	2.050	
		9.77 uM	7.960	
		3.05 uM	6.890	
		953.67 nM	-0.370	
		298.02 nM	-1.880	
		93.13 nM	-3.550	
		29.10 nM	-7.340	
		9.09 nM	-1.590	
		2.84 nM	2.650	
		0.80 nM	2.500	

59-0157	290.366			
59-0157		100.00 uM	-6.440	
		31.25 uM	14.920	
		9.77 uM	19.930	
		3.05 uM	11.440	
		953.67 nM	8.570	
		298.02 nM	-7.190	
		93.13 nM	0.080	
		29.10 nM	-0.230	
		9.09 nM	-4.460	
		2.84 nM	2.200	
		0.80 nM	9.920	

59-0158			
59-0158	308.337		
		100.00 uM	-5.980
		31.25 uM	3.720
		9.77 uM	16.140
		3.05 uM	27.060
		953.67 nM	9.930
		298.02 nM	11.900
		93.13 nM	2.810
		29.10 nM	3.110
		9.09 nM	0.690
		2.84 nM	1.900
		0.80 nM	7.970

59-0159			
59-0159	308.337		
		100.00 uM	2.790
		31.25 uM	13.530
		9.77 uM	4.700
		3.05 uM	10.910
		953.67 nM	2.800
		298.02 nM	9.710
		93.13 nM	4.830
		29.10 nM	0.650
		9.09 nM	5.900
		2.84 nM	6.610
		0.80 nM	6.250

59-0160			
59-0160	319.408		
		100.00 uM	-5.060
		31.25 uM	-3.390
		9.77 uM	5.300
		3.05 uM	15.910
		953.67 nM	6.610
		298.02 nM	11.380
		93.13 nM	4.460
		29.10 nM	3.520
		9.09 nM	4.700
		2.84 nM	-0.650
		0.80 nM	7.560

Structure	ID	MW	Conc	Unit
	59-0196	323.201		
	59-0196		100.00	uM
			31.25	uM
			9.77	uM
			3.05	uM
			953.67	nM
			298.02	nM
			93.13	nM
			29.10	nM
			9.09	nM
			2.84	nM
			0.80	nM
	59-0197	323.201		
	59-0197		100.00	uM
			31.25	uM
			9.77	uM
			3.05	uM
			953.67	nM
			298.02	nM
			93.13	nM
			29.10	nM
			9.09	nM
			2.84	nM
			0.80	nM
	59-0198	261.324		
	59-0198		100.00	uM
			31.25	uM
			9.77	uM
			3.05	uM
			953.67	nM
			298.02	nM
			93.13	nM
			29.10	nM
			9.09	nM
			2.84	nM
			0.80	nM
	59-0199	291.35		
	59-0199		100.00	uM
			31.25	uM

		9.09	nM			
		2.84	nM			
		0.80	nM			
59-0203	292.338					
59-0203		100.00	uM			
		31.25	uM			
		9.77	uM			
		3.05	uM			
		953.67	nM			
		298.02	nM			
		93.13	nM			
		29.10	nM			
		9.09	nM			
		2.84	nM			
		0.80	nM			
59-0204	344.389					
59-0204		100.00	uM			
		31.25	uM			
		9.77	uM			
		3.05	uM			
		953.67	nM			
		298.02	nM			
		93.13	nM			
		29.10	nM			
		9.09	nM			
		2.84	nM			
		0.80	nM			
59-0205	318.782					
59-0205		100.00	uM			
		31.25	uM			
		9.77	uM			
		3.05	uM			
		953.67	nM			
		298.02	nM			
		93.13	nM			
		29.10	nM			
		9.09	nM			
		2.84	nM			
		0.80	nM			

	59-0209	247.297					
	59-0209	100.00 uM					
		31.25 uM					
		9.77 uM					
		3.05 uM					
		953.67 nM					
		298.02 nM					
		93.13 nM					
		29.10 nM					
		9.09 nM					
		2.84 nM					
		0.80 nM					
	59-0210	297.376					
	59-0210	100.00 uM					
		31.25 uM					
		9.77 uM					
		3.05 uM					
		953.67 nM					
		298.02 nM					
		93.13 nM					
		29.10 nM					
		9.09 nM					
		2.84 nM					
		0.80 nM					
	59-8000	298.342					
	59-8000	100.00 uM					
		31.25 uM					
		9.77 uM					
		3.05 uM					
		953.67 nM					
		298.02 nM					
		93.13 nM					
		29.10 nM					
		9.09 nM					
		2.84 nM					
		0.80 nM					

59-8001							
	255.273						
59-8001		100.00	uM				
		31.25	uM				
		9.77	uM				
		3.05	uM				
		953.87	nM				
		298.02	nM				
		93.13	nM				
		29.10	nM				
		9.09	nM				
		2.84	nM				
		0.80	nM				
59-8002							
	302.286						
59-8002		100.00	uM				
		31.25	uM				
		9.77	uM				
		3.05	uM				
		953.67	nM				
		298.02	nM				
		93.13	nM				
		29.10	nM				
		9.09	nM				
		2.84	nM				
		0.80	nM				
59-8003							
	270.288						
59-8003		100.00	uM				
		31.25	uM				
		9.77	uM				
		3.05	uM				
		953.67	nM				
		298.02	nM				
		93.13	nM				
		29.10	nM				
		9.09	nM				
		2.84	nM				
		0.80	nM				

	59X0.9 nM				
	29.10 nM				
	9.09 nM				
	2.84 nM				
	0.80 nM				
59-8013	301.364				
59-8013	100.00 uM				
	31.25 uM				
	9.77 uM				
	3.05 uM				
	953.67 nM				
	298.02 nM				
	93.13 nM				
	29.10 nM				
	9.09 nM				
	2.84 nM				
	0.80 nM				
59-8014	377.396				
59-8014	100.00 uM				
	31.25 uM				
	9.77 uM				
	3.05 uM				
	953.67 nM				
	298.02 nM				
	93.13 nM				
	29.10 nM				
	9.09 nM				
	2.84 nM				
	0.80 nM				
59-8015	285.299				
59-8015	100.00 uM				
	31.25 uM				
	9.77 uM				
	3.05 uM				

INTERNATIONAL SEARCH REPORT

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :A61K 31/54
US CL :514/222.8

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 514/222.8 .

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS AND CAS ONLINE: compounds of the claims with bone, osteoporosis, hyperparathyroidism, periodontal, prosthetic, dental

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,280,040 A (LABROO ET AL.) 18 January 1994.	1-29

☐ Further documents are listed in the continuation of Box C.   ☐ See patent family annex.

*	Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A"	document defining the general state of the art which is not considered to be of particular relevance		
"E"	earlier document published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L"	document which may throw doubt on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O"	document referring to an oral disclosure, use, exhibition or other means		
"P"	document published prior to the international filing date but later than the priority date claimed	"&"	document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
04 FEBRUARY 1997	2 0 FEB 1997

Name and mailing address of the ISA/US	Authorized officer
Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231	KIMBERLY JORDAN
Facsimile No. (703) 305-3230	Telephone No. (703) 308-1235

Form PCT/ISA/210 (second sheet)(July 1992)*